



# Global Information Assurance Certification Paper

Copyright SANS Institute  
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

## Interested in learning more?

Check out the list of upcoming events offering  
"Security Essentials Bootcamp Style (Security 401)"  
at <http://www.giac.org/registration/gsec>

# The Inside-Out Firewall Vulnerability

Richard Hammer – hammer@lanl.gov

My subnet is located behind 2 firewalls so I don't worry about a lot of the dangers that Network Administrators directly exposed to the internet worry about. The institutional firewall limits incoming connections and our firewall limits them even more as well as most outgoing ports. My policy has been to not open a port in either direction unless there is a very good programmatic reason. Scanning my network for known vulnerabilities and password sniffing from the outside is almost impossible. In the past I had pondered the concept of hackers having our clients connecting out to sites, but dismissed it as unlikely. I was actually feeling pretty safe until the PrettyPark Trojan/Worm visited a month ago. In this paper I will walk you through my PrettyPark experience and discuss the possibility of hackers targeting your systems from the inside of your firewall.

## PrettyPark

A full description of PrettyPark can be found at the following sites:

<http://www.symantec.com/avcenter/venc/data/pretypark.worm.html>

&

<http://vil.nai.com/vil/wm98500.asp>

This was the first time that we had a known instance where one of our machines was infected with a Trojan that actually tried to make connections out of our firewalls. We were fortunate to have tcp port 6667 (out bound) closed at our firewall. I played around with the infected machine and actually opened our outgoing firewall port 6667 for about 1 minute and was able to capture the infected machine connecting to IRC sites. Listed below is a screen capture from SessionWall3 showing a successful connection:

```
Client IP = 172.16.164.60
Server IP = 207.152.95.10
Client physical address = 00:A0:24:D5:B2:4F
Server physical address = 00:A4:C0:91:D2:9C
Client port = 4155
Server port = 6667 TCP
```

Client -> Server

NICK Fzi`Vb|

USER zl|e[ c\_oPWq eehg\_VW :cMGNpnXT

You can get an evaluation copy of SessionWall3 at the following site:

[http://www.cai.com/solutions/enterprise/etrust/intrusion\\_detection/](http://www.cai.com/solutions/enterprise/etrust/intrusion_detection/)

Here is a NetStat Capture of the Client trying to connect when the outgoing port is closed.

The screenshot shows the X-NetStat application window. The main window displays a table of active connections. The table has columns for #, Proto, Local Port, Remote Addr, Remote Port, and Status. The connections are as follows:

#	Proto	Local Port	Remote Addr	Remote Port	Status
1	TCP	0	MUSTANG	0	LISTENING
2	TCP	0	MUSTANG	0	LISTENING
3	TCP	5679	MUSTANG	0	LISTENING
4	TCP	1401	MUSTANG	0	LISTENING
5	TCP	1401	banana.irc.easynet.net	6667	SYN_SENT
6	TCP	137	MUSTANG	0	LISTENING
7	TCP	138	MUSTANG	0	LISTENING
8	TCP	nbssession	MUSTANG	0	LISTENING
9	UDP	nbname	*	*	
10	UDP	nbdatag...	*	*	

Below the table, there are buttons for 'Get Connections', 'Tray', 'About', and 'Close'. There are also checkboxes for 'Numeric format', 'All connections' (checked), and 'Show time passed in tray'. The status bar shows 'Done.', 'Last update: 00:00:17', and 'Elapsed: 1.245 s'.

An 'Connection Info' dialog box is open, showing details for the connection in row 5:

- Protocol: TCP
- Local Port: 1401
- Remote Address: banana.irc.easynet.net
- Remote port: 6667
- Connection status: SYN\_SENT
- Message: Actively trying to establish connection.

The dialog box has an 'OK' button at the bottom.

In a little over a minute the infected machine connected to 3 of the 8 known IRC sites that

PrettyPark makes connections to. Here is a listing from my firewall showing one of the connections:

```
Mar 30 16:34:56 2000 f_rgeneric_tcppproxy a_server t_nettraffic p_major
pid: 1878 ruid: 2115 euid: 2115 pgid: 200 fid: 2000001 cmd: 'tcpgsp'
domain: RGnx edomain: RGnx srcip: 172.16.164.60 srcport: 4155 srcregion: NIS6A
dstip: 207.152.95.10 dstport: 6667 dstregion: BLUE-YELLOW protocol: 6
service_name: Internet Relay Chat acl_id: outgoing rules:SERVICE:0 result: 1
encrypted: 0 netsessid: 38e3e4a000066129
```

```
Mar 30 16:34:56 2000 f_rgeneric_tcppproxy a_server t_nettraffic p_major
pid: 1878 ruid: 2115 euid: 2115 pgid: 200 fid: 2000001 cmd: 'tcpgsp'
domain: RGnx edomain: RGnx srcip: 172.16.164.60 srcport: 4155 srcregion: NIS6A
dstip: 207.152.95.10 dstport: 6667 dstregion: BLUE-YELLOW protocol: 6
bytes_client_written: 0 bytes_server_written: 51
service_name: Internet Relay Chat reason: closing connection
netsessid: 38e3e4a000066129
```

According to Norton and McAfee, PrettyPark will send info to these sites to stay connected and will retrieve any commands received from the IRC channel. I did not allow this machine to stay connected long enough to get some sniffer output of someone sending commands to our infected machine. I noticed that PrettyPark cycles through the 8 sites quit rapidly. When one fails to connect it tries the next site almost immediately.

The user of the infected machine was pretty good about updating his virus definition files. He was using McAfee Viruscan with 2/23/2000 dat files. The time stamp on FILES32.VXD was 3/1/2000 and this version of the virus definition files did not detect PrettyPark. A week later I installed Computer Associate's SessionWall3 Intrusion/Virus detection program. SessionWall3 is a pretty good, easy to use program for scanning your network. SessionWall actually caught two other cases of PrettyPark entering our network. One evening I cleared the SessionWall scanner and noticed IRC connect attempts to a site that rang a bell in my brain (banana.irc.easynet.net:6667). I was lucky that I had cleaned a system infected with PrettyPark and one of the sites was named banana something.

Even if you can get your users to update their virus protection your machines are vulnerable to this type of attack until the dat files include the Trojan signature. Mass distributed worms like PrettyPark will always be relatively easy to detect and clean. Writers of this type of Trojan will not have our machines connect to machines that can be traced to them. Only opening outgoing ports that are required for business will stop most of these mass distributed Trojans.

## Scary Stuff

Selective targeting of my subnet is the vulnerability that I worry about the most right now. PrettyPark tells us a lot about how to do these things:

- 1) Deliver the code to the target.
- 2) Execute the code
- 3) Create outgoing connection to hacker's machine.
- 4) Get the information
- 5) Trash/disable the infected system and cover tracks.

I have been thinking about selective targeting for some time now and have discussed it recently with a fellow colleague. It seems far fetched but I found a paper on the internet, "Placing Backdoors Through Firewalls" by van Hauser / [THC] - The Hacker's Choice, that gives instruction, lists dangers, and supplies scripts to do exactly what I listed above.

I can think of two low tech ways to deliver and execute the code. One would be to have an insider install the code, another would be to use e-mail and let the double click syndrome install the code. My experience tells me that the average user will double click on anything that looks funny, interesting, business related, or comes from someone they know. I would guess that the double click syndrome is the most popular way to execute malicious code. Making the outgoing connection look legitimate is important, van Hauser offers several suggestions, tunnel from Phrack 52, ssh, netcat, ack-telnet, and http (example script supplied). Once the code is executed getting data from a targeted machine looks easy. With a legitimate looking connection there is a real good chance that this kind of attack will not even be noticed. Virus protection will not work unless the hacker uses a known piece of malicious code and since the traffic will look legitimate so our network scanners won't detect it. The smart hacker will then get the info and start covering his/her tracks. Deleting the malicious code and corrupting a couple system files will look like just another system failure.

## **Possible Solutions**

- 1) Closing unneeded outgoing ports. Better have strong support before you do this, because users will start to whine when they can't chat with their aol buddies during work hours.

Sites with Good port lists:

<http://home2.freegates.be/bchicken/index2.html>

<http://www.dark-e.com/lowfi.html>

<http://www.sans.org/y2k/ports.htm>

- 2) Use Personal firewall programs, port scanners and port blockers. I use one of these at home and it works pretty well. Host based protection should be able to stop and detect these types of attacks. Getting users to accept and understand these types of solutions will be difficult since most double clickers can barely update their virus dat files.

Personal Port Scanners, Blockers and Firewalls:

<http://www.agnitum.com/products/jammer/jtour1.phtml>

<http://home2.freegates.be/bchicken/index2.html>

<http://net-security.org/various/download/>

<http://davidovv2.homestead.com/freetoolsservices.html>

<http://www.zonelabs.com/>

<http://grc.com/su-firewalls.htm>

<http://www.symantec.com/sabu/nis/>

3) Scan and delete known Viruses/Trojans/Worms at your gateway. Do not allow them to get to the double clickers of the world! I use SessionWall3 and it works pretty well for me.

[http://www.cai.com/solutions/enterprise/etrust/intrusion\\_detection/](http://www.cai.com/solutions/enterprise/etrust/intrusion_detection/)

4) Train users NOT to DOUBLE CLICK on attachments that are not business related.

Clearly critical data should not be stored on networks that have liberal outgoing connection policies and no personal protection.

## Resources

You can find van Hauser's Paper at:

<http://www.anticode.com/cgi-bin/showdsc.anticode?cat=backdoors-and-rootkits.html>

Much thanks to Richard Kandarian – He was the first person that I ever heard actually talk about selective targeting! He has other Solutions that I will not go into here!

Good Sites for information on Trojans:

<http://anti-trojan.virtualave.net/page6.html>

<http://home2.freegates.be/bchicken/index2.html>

<http://www.commodon.com/threat/threat-all.htm>

<http://www.dark-e.com/lowfi.html>

© SANS Inst.

# Upcoming Training

Click Here to  
**{Get CERTIFIED!}**



SANS Vancouver 2018	Vancouver, BC	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS Minneapolis 2018	Minneapolis, MN	Jun 25, 2018 - Jun 30, 2018	Live Event
Community SANS Nashville SEC401	Nashville, TN	Jun 25, 2018 - Jun 30, 2018	Community SANS
SANS Cyber Defence Canberra 2018	Canberra, Australia	Jun 25, 2018 - Jul 07, 2018	Live Event
SANS London July 2018	London, United Kingdom	Jul 02, 2018 - Jul 07, 2018	Live Event
SANS Cyber Defence Singapore 2018	Singapore, Singapore	Jul 09, 2018 - Jul 14, 2018	Live Event
SANSFIRE 2018	Washington, DC	Jul 14, 2018 - Jul 21, 2018	Live Event
SANSFIRE 2018 - SEC401: Security Essentials Bootcamp Style	Washington, DC	Jul 16, 2018 - Jul 21, 2018	vLive
Mentor Session - SEC401	Jacksonville, FL	Jul 17, 2018 - Aug 28, 2018	Mentor
Community SANS Annapolis Junction SEC401	Annapolis Junction, MD	Jul 23, 2018 - Jul 28, 2018	Community SANS
SANS Riyadh July 2018	Riyadh, Kingdom Of Saudi Arabia	Jul 28, 2018 - Aug 02, 2018	Live Event
SANS Pittsburgh 2018	Pittsburgh, PA	Jul 30, 2018 - Aug 04, 2018	Live Event
SANS August Sydney 2018	Sydney, Australia	Aug 06, 2018 - Aug 25, 2018	Live Event
San Antonio 2018 - SEC401: Security Essentials Bootcamp Style	San Antonio, TX	Aug 06, 2018 - Aug 11, 2018	vLive
SANS San Antonio 2018	San Antonio, TX	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS Hyderabad 2018	Hyderabad, India	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS Boston Summer 2018	Boston, MA	Aug 06, 2018 - Aug 11, 2018	Live Event
Mentor Session - SEC401	Ankara, Turkey	Aug 08, 2018 - Oct 03, 2018	Mentor
Northern Virginia- Alexandria 2018 - SEC401: Security Essentials Bootcamp Style	Alexandria, VA	Aug 13, 2018 - Aug 18, 2018	vLive
SANS Northern Virginia- Alexandria 2018	Alexandria, VA	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS New York City Summer 2018	New York City, NY	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS Virginia Beach 2018	Virginia Beach, VA	Aug 20, 2018 - Aug 31, 2018	Live Event
SANS Chicago 2018	Chicago, IL	Aug 20, 2018 - Aug 25, 2018	Live Event
Mentor Session AW - SEC401	Raleigh, NC	Aug 22, 2018 - Aug 29, 2018	Mentor
SANS San Francisco Summer 2018	San Francisco, CA	Aug 26, 2018 - Aug 31, 2018	Live Event
SANS Tokyo Autumn 2018	Tokyo, Japan	Sep 03, 2018 - Sep 15, 2018	Live Event
SANS Amsterdam September 2018	Amsterdam, Netherlands	Sep 03, 2018 - Sep 08, 2018	Live Event
SANS Tampa-Clearwater 2018	Tampa, FL	Sep 04, 2018 - Sep 09, 2018	Live Event
SANS Baltimore Fall 2018	Baltimore, MD	Sep 08, 2018 - Sep 15, 2018	Live Event
SANS vLive - SEC401: Security Essentials Bootcamp Style	SEC401 - 201809,	Sep 11, 2018 - Oct 18, 2018	vLive
SANS Munich September 2018	Munich, Germany	Sep 16, 2018 - Sep 22, 2018	Live Event