



# Global Information Assurance Certification Paper

Copyright SANS Institute  
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

## Interested in learning more?

Check out the list of upcoming events offering  
"Security Essentials Bootcamp Style (Security 401)"  
at <http://www.giac.org/registration/gsec>

Public Domain FTP Buffer Overflow  
Vulnerabilities Feb. - Oct. 1999.

Ralph Durkee  
June 14, 2000

Summary:

Multiple buffer overflow vulnerability exists in older (1999) versions of popular public domain FTP Daemon software which may be exploited to run arbitrary code on the server under the user privileges used to run the ftpd, which is usually root. Specifically CERT® Advisories CA-99-03-FTP-Buffer-Overflows and CA-99-13 Multiple Vulnerabilities in WU-FTPD describes the risks and platforms affected. Although WU-FTPD (originally from Washington University) is specifically mentioned, other public domain ftp server derivatives of WU-FTPD, including ProFTPD are vulnerable as well.

Recommendation:

Vulnerable software should be disabled, and replaced with newer versions. The current (as of June 2000) recommended version of WU-FTPD is 2.6.0 released Oct. 1999. Please check the WU-FTPD support site <http://www.wu-ftp.org/> for up-to-date security and version information and downloads. The recommended version of ProFTPD is at least 1.2.0pre9, while a newer version 1.2.0pre10 is also available from <http://www.proftpd.net/> Red Hat and many other Linux systems include WU-FTPD by default, while most commercial UNIX systems were not vulnerable to this specific exploit. Read the CERT Advisory and check with your system software vendor or freeware provider to be sure.

Checking Vulnerability:

The version of an ftpd software can be checked by running the command with the appropriate option. The WU-FTPD takes an uppercase -V option to display the version information, while ProFTPD will display version information with a lowercase -v option. With default configuration settings these FTP daemons will also announce their name and version when serving a connection prior to login. You should also check the /etc/inetd.conf file or the /etc/rc\* files or to be sure of the correct path to the ftpd which is actually in use.

Several potential overflow bugs were fixed in code reviews according to the WU-FTPD change log. This specific exploit requires connecting to the ftp server as an anonymous or as a regular user, and requires access to any writeable directory. Obviously, ftp servers which allows anonymous connections should be chroot'ed and not be allowed to put files in any directory. Many ftp servers used for business-to-business or home-to-work file transfers as well as most ISP's allow authenticated users to write in assigned directories. In these situation there would be significant usage of WU-FTPD and ProFTPD where incoming transfers must be allowed for authenticated users. These situations would be vulnerable to exploitation of root privileges from legitimate but possibly untrusted users, or from others if the user passwords were sniffed, stolen or guessed.

A realpath() Buffer Overflow Exploit:

An exploit posted by Mixer to bugtraq on 1 May 1999 with comments "Coded by smiler and cossack" involves creating a very long path of directories within directories using nested long directory names of 194 characters each. The length of the total path is calculated specifically to overflow the buffer which holds the path string. One final directory is created (and possibly deleted) but the name of the last directory actually includes binary precompiled exploit code which will spawn a shell when executed. The exploit shell code will be executed if the buffer overflows allowing the return address to be overwritten with the location of the shell code. The

overwriting of the return address redirects the flow of execution to the exploit code (sent as data) instead of returning to the calling function. If the exploit succeeds, the cracker will have a socket connection to a shell spawned by the ftpd and running with the same privileges as ftpd (usually root). A directory created by the exploit will look somewhat like the following with random uppercase characters used. The ellipses (...) represent repetitions removed. In this case the system created the final directory name containing the precompiled code without a buffer overflow. The leading bytes in the final directory will be no-ops instructions suitable for the platform, followed by the code to execute a shell process.

```
AAA...AAAA/VVV...VVVV/DDD...DDDD/SSS...SSSS/AAA...AAAA/???...???1Û?Ø°?Í?ēf^?ó?Ã?9ó|??+  
?þ  
...
```

#### Security and public domain software:

If public domain FTP server software is less secure than commercial ftp daemons, then why use the public domain FTP servers such as WU-FTPD and ProFTPD? The WU-FTPD and ProFTPD provide additional functionality, such as anonymous style chroot for real user logins. Allowing untrusted users chroot-ed ftp access to their own home directory while restricting access to the rest of the system is important for a number of applications such as ISP's with shared hosting servers. Buffer overflow vulnerabilities have been problematic across the board, and are not unique to public domain software. Having the source code available to the crackers may be seen as a liability to some, but also enhances the the security of the software in the long run. In either case the security benefits and liabilities of open source is a topic which will have to be left for another discussion.

#### General Prevention:

Upgrading your ftpd software, if you were using a vulnerable version, will prevent this exploit, and several others that were found, but what else can be done to protect your system from other yet-to-be-announced buffer overflow vulnerabilities? Other than good programming practices, there are no silver bullets yet for buffer overflows on most systems, however basic best-practices in network security will provide necessary redundancy, augmenting each other in ensuring the security of the systems. There are a few system architectures which enforce stack protection. Specifically, keeping up-to-date with security announcements such as <http://www.SANS.org> as well security notices from your system and software vendors or freeware developers is a good start for defense. Intrusion detection systems or software along with daily auditing and monitoring of the normal system usage will provide an additional line of defense. There are also projects in the works for developing tools to protect or detect a stack corrupted by a buffer overflow. Such projects include

Stack Shield <http://www.angelfire.com/sk/stackshield/>  
Stack Guard <http://www.cse.ogi.edu/DISC/projects/immunix/StackGuard>

There are criticisms from some on the viability of these stack protection techniques. Certainly the efforts are to be critiqued and applauded accordingly.

#### Sources:

CERT® Advisory CA-99-03 FTP Buffer Overflows,  
<http://www.cert.org/advisories/CA-99-03-FTP-Buffer-Overflows.html> (June 13 2000)

CERT® Advisory CA-99-13 Multiple Vulnerabilities in WU-FTPD,  
<http://www.cert.org/advisories/CA-99-13-wuftpd.html> (June 13 2000)

Aleph One, "Smashing The Stack For Fun and Profit", Phrack Magazine (Vol VII, Issue 49), <http://phrack.infonexus.com/search.phtml?view&article=p49-14>, (June 14, 2000)

WU-FTPD Development Group, "Change History", <http://www.wu-ftp.org/ftp://ftp.wu-ftp.org/pub/wu-ftp/CHANGES>, (June 13, 2000)

Smiler and Cossack, posted by Mixer, "wuftp2.4.2academ beta 12-18 exploit", BugTraq e-mail Archive - 1 May 1999, <http://www.securityfocus.com/templates/archive.pike?list=1&date=1999-05-1&msg=Pine.LNX.4.04.9905012157010.543-100000@aviation.net> (June 14, 2000)

Vendicator (vendicator@usa.net), "Stack Shield - A "stack smashing" technique protection tool for Linux", <http://www.angelfire.com/SK/stackshield/> (June 16, 2000)

Immunix Project at Oregon Graduate Institute of Sci. and Tech., "StackGuard: Protecting Systems From Stack Smashing Attacks", <http://www.cse.ogi.edu/DISC/projects/immunix/StackGuard/> (June 16, 2000)

© SANS Institute 2000 - 2002, Author retains full rights.

# Upcoming Training

Click Here to  
**{Get CERTIFIED!}**



Baltimore Fall 2017 - SEC401: Security Essentials Bootcamp Style	Baltimore, MD	Sep 25, 2017 - Sep 30, 2017	vLive
Rocky Mountain Fall 2017	Denver, CO	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, Denmark	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MD	Sep 25, 2017 - Sep 30, 2017	Live Event
Community SANS New York SEC401*	New York, NY	Sep 25, 2017 - Sep 30, 2017	Community SANS
SANS DFIR Prague 2017	Prague, Czech Republic	Oct 02, 2017 - Oct 08, 2017	Live Event
Community SANS Sacramento SEC401	Sacramento, CA	Oct 02, 2017 - Oct 07, 2017	Community SANS
Mentor Session - SEC401	Minneapolis, MN	Oct 03, 2017 - Nov 14, 2017	Mentor
Mentor Session - SEC401	Arlington, VA	Oct 04, 2017 - Nov 15, 2017	Mentor
SANS October Singapore 2017	Singapore, Singapore	Oct 09, 2017 - Oct 28, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZ	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VA	Oct 14, 2017 - Oct 21, 2017	Live Event
CCB Private SEC401 Oct 17	Brussels, Belgium	Oct 16, 2017 - Oct 21, 2017	
SANS Tokyo Autumn 2017	Tokyo, Japan	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS vLive - SEC401: Security Essentials Bootcamp Style	SEC401 - 201710,	Oct 23, 2017 - Nov 29, 2017	vLive
Community SANS Omaha SEC401	Omaha, NE	Oct 23, 2017 - Oct 28, 2017	Community SANS
San Diego Fall 2017 - SEC401: Security Essentials Bootcamp Style	San Diego, CA	Oct 30, 2017 - Nov 04, 2017	vLive
SANS Seattle 2017	Seattle, WA	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS San Diego 2017	San Diego, CA	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, United Arab Emirates	Nov 04, 2017 - Nov 16, 2017	Live Event
Community SANS Colorado Springs SEC401**	Colorado Springs, CO	Nov 06, 2017 - Nov 11, 2017	Community SANS
SANS Miami 2017	Miami, FL	Nov 06, 2017 - Nov 11, 2017	Live Event
Community SANS Vancouver SEC401*	Vancouver, BC	Nov 06, 2017 - Nov 11, 2017	Community SANS
SANS Sydney 2017	Sydney, Australia	Nov 13, 2017 - Nov 25, 2017	Live Event
SANS Paris November 2017	Paris, France	Nov 13, 2017 - Nov 18, 2017	Live Event
SANS London November 2017	London, United Kingdom	Nov 27, 2017 - Dec 02, 2017	Live Event
Community SANS St. Louis SEC401	St Louis, MO	Nov 27, 2017 - Dec 02, 2017	Community SANS
Community SANS Portland SEC401	Portland, OR	Nov 27, 2017 - Dec 02, 2017	Community SANS
SANS San Francisco Winter 2017	San Francisco, CA	Nov 27, 2017 - Dec 02, 2017	Live Event
SANS Khobar 2017	Khobar, Saudi Arabia	Dec 02, 2017 - Dec 07, 2017	Live Event
SANS Austin Winter 2017	Austin, TX	Dec 04, 2017 - Dec 09, 2017	Live Event