



# Global Information Assurance Certification Paper

Copyright SANS Institute  
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

## Interested in learning more?

Check out the list of upcoming events offering  
"Security Essentials Bootcamp Style (Security 401)"  
at <http://www.giac.org/registration/gsec>

## Trusted Operating Systems

Charles Jacobs

May 14, 2001

### Introduction

You've probably heard the hype around the OpenHack III challenge sponsored by eWEEK magazine. In case your not familiar with the Openhack challenge, for the last couple of year's, eWeek has set up a challenge for hackers to break into test systems. In the past, they have used the most common security model, perimeter defense. This year they used a different security structure called a Trusted Operating System. During OpenHack III, about 5.25 million attacks from some 200,000 hackers hit the servers, yet not one single breach scenario was achieved. The purpose of this paper is to define what a trusted operating system is, look at the pros and cons of trusted operating systems as compared to the traditional security model, and look at the future of security models.

### Definition

What is a trusted or secure operating system? Trusted operating systems are enhanced versions of everyday operating systems such as Windows NT or Unix that are made more secure. The trusted operating system concept is nothing new. It was actually developed in the early 1980's and received evaluation from the National Security Agency in 1984. A trusted operating system generally involves four components. They are information compartmentalization, role compartmentalization, least privilege and kernel level enforcement. Let's look at these four principles a little more in depth.

Information compartmentalization restricts what information an application has access to. If one application on the system is broken into, this prevents access to another unrelated application. For instance, if the web server component is compromised, the attacker won't be able to get at the database component.

Role compartmentalization restricts the control a user has. There is no such thing as root access on a trusted operating system. Even adding users and other routine administrative tasks requires the use of more than one account. This would prevent an attacker from getting full control of the system.

Least privilege restricts what processes are able to perform. Processes should only have enough rights to perform their duty. For example, a web server process should not be able to modify an e-mail file or any other system files, just the web files that it uses.


Kernel level enforcement ensures that security decisions are made at a low level where users or applications cannot interfere with them. This also reduces

system overhead because the security decisions are close to the resources being protected.

Basically a trusted operating system is about separating elements from each other and making access between areas more difficult. It's like having a firewall and access list to each application and process.


A standard operating system's architecture is fairly open once the user is past the initial authentication(Diagram 1).

Diagram 1



The trusted operating system because of its information compartmentalization locks down the individual components(Diagram 2).

Diagram 2




## Advantages and disadvantages

Now that we have defined what a trusted operating system is, let's compare the advantages and disadvantages of the trusted OS and compare them to a traditional security model, the firewall with a dmz, inside, and outside network. There are four areas we will look at: security, administration and configuration, compatibility, and cost.


First is security and let's look at some scenarios of possible attacks. In these scenarios the trusted operating could be used in conjunction with a standard firewall and perimeter security. In the Openhack III challenge, no firewall or perimeter security was used.

Suppose an attack is coming from the outside network(the internet). In the perimeter security model, it is common to put a web server behind the firewall on the DMZ network and it is tied to a database server on the inside network(Diagram 3). The only port open from the outside network to the web server is port 80(http). There is also a path open from the web server to the database server on some port depending on the database type. If the attacker finds a vulnerability on the web server and gains root access, the attacker then has full access to that system and possibly an easy path to the database server and the inside network.



In this same scenario on a trusted OS, if the attacker gains access to web server, because of role compartmentalization and least privilege, the attacker would not have root access and would not have an easy path to the database or the inside network.

In the second scenario, let's assume an attack is coming from the inside network (Diagram 4). This is probably the biggest weakness of perimeter security because it assumes that users on the inside are good and would never do anything to cause damage. Because of this, many times there are holes that allow a malicious user to use the privileges they have to get into areas that they normally don't have access to. Because network traffic is usually open to all ports, passwords can be captured and cracked to gain higher access. Also, very common are machines that are non production machines, which are configured with no passwords or no security patches applied providing an easy path to a production server.



In the trusted OS, the same rules apply as the above scenario in that because of role compartmentalization and least privilege, the attacker would only have rights to what they were granted and would not be able to get root access.

Next let's look at configuration and administration. The trusted operating system is very complex. It requires a very well trained technical person to setup properly. Also it is very hard to administer because you can't just have full root access and change anything you want. What you pay for in very tight security, you lose in administration. In other words, if it's easy to administer, it's probably easy to break into. Because of the complexity, administrators will have a much bigger learning curve and will have to spend much more time administering a trusted operating system. On the other side, firewall/perimeter security, is the de facto standard, and it is relatively easy to administer. The biggest configuration usually lies in securing the operating system.

Next compatibility is a big issue, most of the trusted OS's are based on the Unix flavor of operating systems. There are a few for Windows NT, but also on the compatibility issue are applications. Some applications won't work on a trusted OS. Perimeter security is very flexible in that any OS or application can be used.

Lastly, let's look at the costs between the two security models. There are many factors that contribute to the costs involved. There are hardware costs, software costs, and training and administration costs. Hardware costs between the two security models is very competitive. Trusted OS's don't require any additional hardware. As long as the operating system supports the hardware it will work. The software cost is the cost of the trusted OS or the firewall software. Most firewalls cost on average from \$5000 to \$15000. The trusted OS can be anywhere from \$5000 per server to \$50000 for an enterprise level system. So it appears that the traditional firewall is less expensive. As far as training and administration costs, the trusted OS, because of it's complexity, definitely takes more time to learn, configure, and administer which makes it more expensive.

## Conclusions

From looking at these two scenarios, it looks like trusted operating systems are more secure than the traditional model of perimeter security. When I started looking at trusted operating systems as a topic, I was very impressed with what I've read. But I also believe that this technology hasn't been tested as much as perimeter security. Perimeter security is the standard, it's popular, which also means everyone understands it, especially attackers. Its weaknesses are well known and a lot of the blame falls on the operating system being used, as that is where most of the vulnerabilities are. Also, many existing setups have been done poorly and many administrators don't apply security patches to production systems.

As I was finishing my research, we've just recently seen that failure to apply security patches also affects the trusted operating system. Towards the end of April, 2001, another hack challenge called 'Argus Hacking Challenge', showed a weakness in a trusted OS. A system running Solaris with Argus's Pitbull

software was compromised because a security patch wasn't applied to the system. So although the trusted operating system model looks promising, there is still the issue of applying the latest security patches to keep it secure. I believe that the perimeter model will stay with us for quite a while, although I think future operating systems will incorporate the features of the trusted operating systems.

## References

Robert L. Scheier, Computerworld  
Trusted Operating Systems: The Ultimate Defense  
[http://www.computerworld.com/cwi/story/0,1199,NAV47\\_STO53293,00.html](http://www.computerworld.com/cwi/story/0,1199,NAV47_STO53293,00.html)

Rodger O. Crockett, Business Week  
Keep Out. We Mean It  
<http://www.argus-systems.com/press/news/cache/2000.10.23.shtml>

Jim Rapoza, EWeek  
Latest Pitbull attack holds lessons for IT  
<http://www.zdnet.com/eweek/stories/general/0,11011,2713689,00.html>

Chet Dembeck, E-Commerce Times  
Improve Internet Security or Face the Music  
<http://www.ecommercetimes.com/perl/story/?id=2492>

Ronald L. Mendell, SecurityPortal  
The Future of Operating Systems Security  
<http://securityportal.com/cover/coverstory20010115.html>

Sue Hildreth, ebizQ.net  
ASP Security: Why Firewalls Are Not Enough  
[http://b2b.ebizq.net/asp/hildreth\\_2.html](http://b2b.ebizq.net/asp/hildreth_2.html)

Peter A. Loscocco, Stephen D. Smalley, Patrick A. Muckelbauer, Ruth C. Taylor,  
S. Jeff Turner, John F. Farrell, National Security Agency  
The Inevitability of Failure: The Flawed Assumption of Security in Modern  
Computing Environments  
<http://www.cs.utah.edu/flux/fluke/html/inevitability.htm>

Tom Mills, Trusted Operating Systems  
[http://www.sei.cmu.edu/str/descriptions/trusted\\_body.html](http://www.sei.cmu.edu/str/descriptions/trusted_body.html)

eWeek's OpenHack III Challenge Survives 5.25 Million Attack Attempts  
<http://www.argus-systems.com/press/news/2001.02.01.eWEEK.shtml>

Pitbull .comPack, Trusted OS Security: principles and practice  
[http://www.argus-systems.com/product/white\\_paper/pitbull/](http://www.argus-systems.com/product/white_paper/pitbull/)

David Ferraiolo and Peter Mell  
Operating System Security: Adding to the Arsenal of Security Techniques  
<http://www.itl.nist.gov/lab/bulletns/dec99.htm>

© SANS Institute 2000 - 2002, Author retains full rights.



# Upcoming Training

Click Here to  
**{Get CERTIFIED!}**



SANS Rocky Mountain Summer 2020	, CO	Jul 20, 2020 - Jul 25, 2020	CyberCon
SANS Summer of Cyber   Jul 27	, NC	Jul 27, 2020 - Aug 01, 2020	CyberCon
Instructor-Led Training   Aug 3 ET	, MA	Aug 03, 2020 - Aug 08, 2020	CyberCon
SANS SEC401 Europe Online August 2020	, United Arab Emirates	Aug 10, 2020 - Aug 15, 2020	CyberCon
Instructor-Led Training   Aug 10 MT	, WA	Aug 10, 2020 - Aug 15, 2020	CyberCon
Instructor-Led Training   Aug 17 ET	, DC	Aug 17, 2020 - Aug 22, 2020	CyberCon
Cyber Defence APAC Live Online 2020	, Singapore	Aug 17, 2020 - Aug 22, 2020	CyberCon
SANS SEC401 Multi-Week Europe Online 2020	, United Arab Emirates	Aug 17, 2020 - Aug 28, 2020	vLive
SANS Virginia Beach 2020	Virginia Beach, VA	Aug 30, 2020 - Sep 04, 2020	Live Event
SANS Virginia Beach 2020 - Live Online	Virginia Beach, VA	Aug 30, 2020 - Sep 04, 2020	CyberCon
SANS London September 2020	London, United Kingdom	Sep 07, 2020 - Sep 12, 2020	Live Event
SANS Baltimore Fall 2020	Baltimore, MD	Sep 08, 2020 - Sep 13, 2020	Live Event
SANS Baltimore Fall 2020 - Live Online	Baltimore, MD	Sep 08, 2020 - Sep 13, 2020	CyberCon
SANS Munich September 2020 - Live Online	Munich, Germany	Sep 14, 2020 - Sep 19, 2020	CyberCon
SANS Munich September 2020	Munich, Germany	Sep 14, 2020 - Sep 19, 2020	Live Event
SANS Network Security 2020	Las Vegas, NV	Sep 20, 2020 - Sep 25, 2020	Live Event
SANS Network Security 2020 - Live Online	Las Vegas, NV	Sep 20, 2020 - Sep 25, 2020	CyberCon
SANS Australia Spring Online 2020 - Live Online	, Australia	Sep 21, 2020 - Oct 03, 2020	CyberCon
SANS Australia Spring Online 2020	, Australia	Sep 21, 2020 - Oct 03, 2020	Live Event
SANS Northern VA - Reston Fall 2020	Reston, VA	Sep 28, 2020 - Oct 03, 2020	Live Event
SANS Northern VA - Reston Fall 2020 - Live Online	Reston, VA	Sep 28, 2020 - Oct 03, 2020	CyberCon
SANS Amsterdam October 2020 - Live Online	Amsterdam, Netherlands	Oct 05, 2020 - Oct 10, 2020	CyberCon
SANS Amsterdam October 2020	Amsterdam, Netherlands	Oct 05, 2020 - Oct 10, 2020	Live Event
SANS October Singapore 2020	Singapore, Singapore	Oct 12, 2020 - Oct 24, 2020	Live Event
SANS Orlando 2020	Orlando, FL	Oct 12, 2020 - Oct 17, 2020	Live Event
SANS Orlando 2020 - Live Online	Orlando, FL	Oct 12, 2020 - Oct 17, 2020	CyberCon
SANS October Singapore 2020 - Live Online	Singapore, Singapore	Oct 12, 2020 - Oct 24, 2020	CyberCon
SANS Dallas Fall 2020	Dallas, TX	Oct 19, 2020 - Oct 24, 2020	Live Event
SANS Dallas Fall 2020 - Live Online	Dallas, TX	Oct 19, 2020 - Oct 24, 2020	CyberCon
SANS San Francisco Fall 2020 - Live Online	San Francisco, CA	Oct 26, 2020 - Oct 31, 2020	CyberCon
Instructor-Led Training   Oct 26 ET	,	Oct 26, 2020 - Oct 31, 2020	CyberCon