



# Global Information Assurance Certification Paper

Copyright SANS Institute  
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

## Interested in learning more?

Check out the list of upcoming events offering  
"Security Essentials Bootcamp Style (Security 401)"  
at <http://www.giac.org/registration/gsec>

## Implementing/Re-Implementing Change Control Policies

Derek P. Milroy (Assignment version 1.2e)

All network environments change over time, whether the change is planned or unplanned. Change Control Policies help to minimize the inadvertent creation of security openings when implementing planned, unplanned, or recovery changes to a company's network environment.

All companies have some form of production environment. Depending on the type of organization, there might also be staging and development environments as well. Change control is essential in all environments. A change in a staging or development environment that creates a design flaw will typically be replicated to the production environment. Lack of change control policies for all environments can cause flawed configuration changes or code enhancements in the production environment.

Another danger to production environments is disaster recovery situations. If changes made to a production environment are not properly documented, as per a change control policy, systems that have been recovered might be put into production without having been properly hardened. Without proper change control procedures in place, systems could be placed back into production after planned maintenance has been performed, without having been properly secured. This happened to Western Union. A procedure that included the use of a QC checklist, prior to placing the system back into production, could have prevented the incident. [1]

Implementing change control policies should be done with the same basic methodology as a technology implementation. All implementations can be broken down into four steps/phases: **Analysis**, **Design**, **Implementation**, and **Follow-up**.

### Phase I – Analysis:

The starting point for analyzing a network environment, in preparation for implementing change control policies, is to learn the IT Department's structure. Understanding the structure of an IT Department is the first step towards learning an organization's IT workflow. Prior to recommending policies, which will in turn be used to create procedures [2], a thorough understanding of how changes are currently made is necessary.

Depending on the size of a company, there could be just one group that does all network support or there could be multiple departments/groups. Companies that have their own data centers and/or in-house custom applications typically have larger IT organizations. In a larger environment you may see the following structure:

- ❑ Network Services Department
  - Help Desk
  - LAN Implementations Group
  - WAN Implementations Group

- Operations Department
  - Help Desk
  - Monitoring Group (HP NNM, Tivoli, or some other product)
  - Desktop Applications Support Group
  - LAN Support Group
  - WAN Support Group
- E-Commerce Department
  - Help Desk
  - Development Group
- Development Department
  - Help Desk
  - Development Group (for non E-Commerce in-house applications)
  - Testing/QC Group

As you can see from the example above, many times each department has their own help desk. A thorough analysis would be needed of the help desk environment alone. Items to look for would be how their support tickets are tracked and what the escalation procedures are, especially across department boundaries.

Remember, the goal of the workflow analysis is to determine *who* makes changes to the environment. Analyzing the help desk/support mechanisms in use by an organization will show where (and by whom) most of the “unplanned” changes to the network environment are made.

The next step is to analyze how the company uses its’ different environments. Even if there is only a single production environment, its usage must be looked at. For this example we’ll use three environments: Development, Staging/Test, and Production. The way applications are deployed into and through these environments should be examined.

Items to examine for all three environments:

- Who does the base OS installs?
- Who installs the application or applications?
- Who installs updates to the custom application(s)?
- How are changes to the environment tracked?
- How is physical access to the environments controlled?
- How is logical access controlled i.e. telnet to routers etc.
- Who has physical and/or logical access to each environment?
- Who performs re-installs or recoveries when needed?

An analysis of any current policies, procedures, and checklists/forms is also needed. They typically show how changes are made or supposed to be made. An analysis of these documents also needs to include a “usage” analysis i.e. are they really used if they exist?

- Current Policies to look for:
  - Virus Protection

- Enterprise Backup
  - New Host Installation
  - Software Implementation
  - Internet/E-mail Usage
  - Internet/Network Monitoring
  - Disaster Recovery
  - Software/OS Updates
- ❑ Current Procedures to look for:
- Virus Response/Quarantine
  - Backup, Restore, and Tape Rotation
  - Scheduled Maintenance
  - Host/Device Recovery/Re-installs
  - Incident Response
- ❑ Current Checklists/Forms to look for:
- Change Control Form(s)
  - Host Install/Re-install Checklists
  - Backup Logs
  - System Change Logs

All the checklists mentioned above could be integrated into a help desk system or implemented via an Intranet.

### Phase II – Design:

The first step for designing effective Change Control Policies is to gather the appropriate resources, based on information from the **Analysis** phase, to create the first revision.

It is important to make sure that key people are involved from each area/department that is responsible for making changes to systems. Typically, this would be the managers from each functional area i.e. the Operations Manager, the Help Desk Manager, the Network Manager, etc. This will ensure “common ownership” of the policy and greatly increase the rate of compliance when the policy is implemented.

As mentioned throughout the GIAC coursework on basic policy [2], items to keep in mind when designing policies are:

- Scope of the policy
- Responsibility identification
- Procedures for compliance
- Mechanisms to measure the effectiveness of the policy
- A mechanism for ensuring timely updates to the policy

### Policy Scope:

Change control policies typically cover a lot of ground. Depending on the size of the company, it may be necessary to create more than one all encompassing Change Control Policy. In the case of larger companies, it might be best to have a change control policy for each environment i.e. one each for production, staging, and development.

The policy should specify the amount of advance notice that is required for making (planned) changes to systems. The times that changes are allowed for enhancements and/or maintenance should also be covered in the policy. Different environments, i.e. production vs. development, will typically have different maintenance schedules.

A thorough change control policy should also address issues of maintaining service packs for operating systems and applications. A company's failure to monitor needed updates for their operating systems and applications could result in a security breach. This happened to a government health information Web site recently. The issue was ultimately tracked down to a lack of updating the site's shopping cart software. [3]

### Identifying Responsibilities:

The first step in identifying responsibilities is to analyze the workflow data gathered during the **Analysis** phase of the project. In order to determine who should be responsible for the various areas in which changes take place, an understanding of who currently makes the changes is needed. Sometimes the policy will change the "normal" workflow and other times a change control policy is implemented onto the existing workflow, adding forms for tracking/auditing purposes.

Procedures and checklists should reflect the decisions made in assigning authority/responsibility via the signature blocks on them. Again, it is important to have the people who will be signing off on any forms involved in their creation.

### Procedures for Ensuring Compliance:

Ensure that the policy outlines the procedures that will be used to aid in compliance. The enforcement mechanisms must cover both planned and unplanned changes.

- Change request forms (electronic and/or hard copy) should have fields for signatures authorizing the proposed changes. It is important to make sure that change request forms are reviewed/approved by all parties responsible for the environments affected. [4]
- Forms need to be created for version control of application and system components. This will insure consistency for patches and software updates across the enterprise. This form should have a field showing the dates of approval for new patches and updates. The version control form results in part from the procedure for checking on vendor's operating systems, software packages, etc. for needed security updates. [5]
- Unplanned change forms will also be needed to document changes that are made during the course of troubleshooting. Instead of a different form, help

desk software could have a separate field for system changes on each call ticket. The ticket could then be routed, if necessary, to the appropriate functional area to incorporate the changes into the install documentation.

- In addition to documenting the changes as they occur, a mechanism for ensuring change propagation to other systems (affected by the same issues) and standard installation documents should also be put in place.

Measuring effectiveness:

Ways to measure effectiveness must be built into the policy. There are several ways to do this.

- Periodic reviews of the change control logs and the help desk system to verify that entries related to system changes match. The frequency of these reviews will differ for each organization and the frequency may have to be adjusted occasionally. The reviews will need to be conducted by the people who have the signing authority on the systems.
- Syslog servers can also be checked to match the times of the changes on the forms with the actual times of implementation on the systems themselves.
- Inspections of systems against the current installation documents can also be performed to verify that all changes that lead to new install procedures have been propagated to operations/production documentation.

Updating the Policy:

The policy will need to be updated periodically to reflect the current needs of the organization. A procedure for updating the policy and propagating the new revisions also needs to be covered in the policy. The policy should also have a schedule for periodic reviews build into it i.e. each version will essentially have an expiration date on it. Prior to expiration, it needs to be reviewed by all parties, updated if necessary, and re-signed.

Phase III – Implementation:

Implementation begins with putting “version 1” of the change control policy and all it’s procedures into place. This is usually done on a departmental/functional area basis. It is important to make sure that all people affected by the new policy understand it completely.

After “version 1” has been implemented, measuring the effectiveness of the policy must begin. Often, policies are forgotten about shortly after they’re signed and implemented. Measuring effectiveness will indicate whether or not the procedures to ensure compliance are adequate.

Phase IV – Follow-up:

During the first phase of the rollout, the people that are responsible for making changes to systems may bring up points of concern. These points must be quickly assessed for validity and if a modification (or modifications) to the policy is warranted, they should be made and documented during the initial rollout. Often, version 1.1 of the policy will occur during the Follow-up phase of the project.

## Conclusion

Change Control is an essential part of all organization's overall security posture. Failure to properly manage change can result in vulnerabilities as well as lost time from resolving issues more than once. A lack of control for both planned and unplanned changes can lead to opportunity for hackers and/or people with ill intent to damage or gain unauthorized access to systems. The process of defining/implementing control policies/procedures for change is continuous, like the changes to an environment.

## References

[1] – James Evans and Laura Rhode “Western Union’s Web site hacked” 09/11/00  
URL: <http://www.nwfusion.com/news/2000/0911westhack.html>

[2] – Doug Austin, Alexander Bryce, Rob Dinehart, Stephen Joyce, Carol Kramer, Randy Marchany, Stephen Northcutt, John Ritter, Matt Scarborough, Arrigo Triulzi  
GIAC Basic Security Policy Version 1.35 September 5, 2000

[3] – Bob Sullivan “Health site exposed customer info” June 25, 2001  
URL: <http://stacks.msnbc.com/news/578476.asp>

[4] – Louis Aiken “Change Control” August 29, 2000  
URL: [http://www.sans.org/infosecFAQ/policy/change\\_control.htm](http://www.sans.org/infosecFAQ/policy/change_control.htm)

[5] – NIH Application/System Security Plan Template May 4, 1999 (Section C.5)  
URL: <http://irm.cit.nih.gov/security/secplantemp.html>

© SANS Institute 2000 - 2005  
Author retains full rights.

# Upcoming Training

Click Here to  
**{Get CERTIFIED!}**



|  |                             |                             |                |
|--|-----------------------------|-----------------------------|----------------|
| Rocky Mountain Fall 2017   | Denver, CO                  | Sep 25, 2017 - Sep 30, 2017 | Live Event     |
| SANS Copenhagen 2017   | Copenhagen, Denmark         | Sep 25, 2017 - Sep 30, 2017 | Live Event     |
| SANS Baltimore Fall 2017   | Baltimore, MD               | Sep 25, 2017 - Sep 30, 2017 | Live Event     |
| Community SANS New York SEC401*                                  | New York, NY                | Sep 25, 2017 - Sep 30, 2017 | Community SANS |
| Baltimore Fall 2017 - SEC401: Security Essentials Bootcamp Style | Baltimore, MD               | Sep 25, 2017 - Sep 30, 2017 | vLive          |
| Community SANS Sacramento SEC401                                 | Sacramento, CA              | Oct 02, 2017 - Oct 07, 2017 | Community SANS |
| SANS DFIR Prague 2017  | Prague, Czech Republic      | Oct 02, 2017 - Oct 08, 2017 | Live Event     |
| Mentor Session - SEC401  | Minneapolis, MN             | Oct 03, 2017 - Nov 14, 2017 | Mentor         |
| Mentor Session - SEC401  | Arlington, VA               | Oct 04, 2017 - Nov 15, 2017 | Mentor         |
| SANS Phoenix-Mesa 2017   | Mesa, AZ                    | Oct 09, 2017 - Oct 14, 2017 | Live Event     |
| SANS October Singapore 2017                                      | Singapore, Singapore        | Oct 09, 2017 - Oct 28, 2017 | Live Event     |
| SANS Tysons Corner Fall 2017                                     | McLean, VA                  | Oct 14, 2017 - Oct 21, 2017 | Live Event     |
| SANS Tokyo Autumn 2017   | Tokyo, Japan                | Oct 16, 2017 - Oct 28, 2017 | Live Event     |
| CCB Private SEC401 Oct 17  | Brussels, Belgium           | Oct 16, 2017 - Oct 21, 2017 |                |
| Community SANS Omaha SEC401                                      | Omaha, NE                   | Oct 23, 2017 - Oct 28, 2017 | Community SANS |
| SANS vLive - SEC401: Security Essentials Bootcamp Style          | SEC401 - 201710,            | Oct 23, 2017 - Nov 29, 2017 | vLive          |
| SANS San Diego 2017  | San Diego, CA               | Oct 30, 2017 - Nov 04, 2017 | Live Event     |
| San Diego Fall 2017 - SEC401: Security Essentials Bootcamp Style | San Diego, CA               | Oct 30, 2017 - Nov 04, 2017 | vLive          |
| SANS Seattle 2017  | Seattle, WA                 | Oct 30, 2017 - Nov 04, 2017 | Live Event     |
| SANS Gulf Region 2017  | Dubai, United Arab Emirates | Nov 04, 2017 - Nov 16, 2017 | Live Event     |
| SANS Miami 2017  | Miami, FL                   | Nov 06, 2017 - Nov 11, 2017 | Live Event     |
| Community SANS Vancouver SEC401*                                 | Vancouver, BC               | Nov 06, 2017 - Nov 11, 2017 | Community SANS |
| Community SANS Colorado Springs SEC401**                         | Colorado Springs, CO        | Nov 06, 2017 - Nov 11, 2017 | Community SANS |
| SANS Paris November 2017   | Paris, France               | Nov 13, 2017 - Nov 18, 2017 | Live Event     |
| SANS Sydney 2017   | Sydney, Australia           | Nov 13, 2017 - Nov 25, 2017 | Live Event     |
| SANS San Francisco Winter 2017                                   | San Francisco, CA           | Nov 27, 2017 - Dec 02, 2017 | Live Event     |
| SANS London November 2017  | London, United Kingdom      | Nov 27, 2017 - Dec 02, 2017 | Live Event     |
| Community SANS St. Louis SEC401                                  | St Louis, MO                | Nov 27, 2017 - Dec 02, 2017 | Community SANS |
| Community SANS Portland SEC401                                   | Portland, OR                | Nov 27, 2017 - Dec 02, 2017 | Community SANS |
| SANS Khobar 2017   | Khobar, Saudi Arabia        | Dec 02, 2017 - Dec 07, 2017 | Live Event     |
| SANS Munich December 2017  | Munich, Germany             | Dec 04, 2017 - Dec 09, 2017 | Live Event     |