



Global Information Assurance Certification Paper

Copyright SANS Institute
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

Interested in learning more?

Check out the list of upcoming events offering
"Security Essentials Bootcamp Style (Security 401)"
at <http://www.giac.org/registration/gsec>

Trinity v3 DDOS: Tomorrow's headline?

David Sheridan
September 19, 2000

Introduction

Distributed Denial of Service (DDOS) attacks achieved major public awareness when the news media revealed how these attack techniques were used to paralyze several of the Internet's biggest web sites. In February 2000 Yahoo, Amazon.com, Ebay and Buy.com web sites were taken down for extended periods of time by DDOS tools. The suspect? A Canadian teen is awaiting trial in Montreal.

A hacker is capable of installing the Distributed Denial of Service (DDOS) software on many unsuspecting computers on the Internet. Once the hacker enlists these "zombies", the hacker can then issue simultaneous commands to all of the "zombie" computers initializing an attack on the target server or network. The attacks overwhelm the target by flooding it with large amounts of specially crafted network traffic.

A new DDOS tool that is even more dangerous than the kind used against Yahoo and Amazon has been found in the wild according to Advisory 59 from the X-Force. X-Force is the research and development team of Atlanta based Internet Security Systems Inc. In a news interview with Chris Rouland (director of X-Force) revealed that the Forum of Incident Response and Security Team brought the new tool to the X-Force's attention after an educational institution found the program running on some of its computers. This new DDOS tool has been named "Trinity v3" by the X-Force because the word Trinity appears several times in the code after reverse engineering it. Internet Relay Chat (IRC) controls the Trinity v3 agents. The hacker controlling the "zombies" is more difficult to trace and the "zombies" are easier to manage by the hacker. Rouland says that, using this new tool, reportedly over 400 hosts are running the Trinity agent with IP addresses indicating most locations are in the United States, Romania, and Australia.

In an interview with Network World, Rouland suggested, "There appear to be other IRC channels like this one as well". X-Force states that as of September 5, 2000, one IRC channel has 50 compromised hosts with Trinity running with more hosts connecting everyday.

With the large number of insecure computers on the Internet as potential "zombies" for Trinity, the potential for this new tool could be devastating. Initially, the potential of this tool is dependant only on the creativity of the hacker or hackers that control the private IRC channels for Trinity.

Trinity v3

X-Force has analyzed a version of Trinity v3 obtained from the educational institution that first reported the software. Their Advisory 59 eludes that the possibility of new strains appearing cannot be ruled out, however to date none have been identified.

The Trinity binary is installed on a Linux system in the /usr/lib directory. The binary /usr/lib/idle.so connects to an Undernet IRC server on port 6667. Inside the binary the following Undernet IRC servers are listed:

204.127.145.17
216.24.134.10
208.51.158.10
199.170.91.114
207.173.16.33
207.96.122.250
205.252.46.98
216.225.7.155
205.188.149.3
207.69.200.131
207.114.4.35

The program connects to the IRC server and sets its nickname to be the first 6 characters of the hostname plus 3 random characters. The Undernet IRC channel that it connects to is #b3ebl0x. The #b3ebl0x channel is protected by a special key or password that is coded into the binary. Once the computer is in the special channel it simply waits for commands. Commands can be sent to individual Trinity agents or all Trinity agents that are logged on to the channel.

The hacker will have a much easier job with this new tool. Traditionally, the hacker must track the computers that have the agent installed. Trinity agents report their presence by logging on to the IRC channel and “reporting for duty” to the hacker. This also helps the hacker hide his real identity by changing the IP address for use on the IRC server.

The flooding commands that Trinity will respond to are crafted with this format:

<flood> <password> <victim> <time>

<flood> is the type of flood.

<password> is the agent’s password.

<victim> is the victim’s host or network ip address.

<time> is the length of time to flood the victim.

<flood> command are as follows:

tudp: “udp flood”

tfrag: "fragment flood"

tsyn: "syn flood"

trst: "rst flood"

trnd: "random flags flood"

tack: "ack flood"

testab: "establish flood"

tnull: "null flood"

Other commands available are “ping”, “size”, “port”, and “ver?”. The ping command will respond with “(trinity) someone needs a miracle ...”. The version will respond with “ trinity v3

by self (an idle mind is the devil's playground)".

On every computer where Trinity was found on, another rogue binary was discovered. This binary `/var/spool/uucp/uucico` is meant to look very similar to the real UUCP file transfer daemon that typically exists at `/usr/sbin`, `/usr/lib/uucp` or other default locations. This code has nothing to do with UUCP. When it loads it changes its name to `fsflush` and is a simple backdoor program that listens on port 33270 for logon via telnet by the hacker. The hacker must supply the hard coded password `"!@#"` to access the system with a root shell.

Detection

Scanning your systems with a scanner will be difficult to test for the Trinity agent since it doesn't listen on ports. Since the Trinity agent communicates with IRC the only way to detect the agent from the network would be to monitor IRC traffic.

Some sources recommend blocking all IRC traffic. The IRC ports as listed by the Internet Assigned Numbers Authority (IANA) are listed as 6665 – 6669, however I have seen my own IRC client connect to servers on ports 6660 up to 6671.

ISS's RealSecure Intrusion Detection System software can be configured to detect Trinity. They suggest to enable the `IRC_Nick`, `IRC_Msg`, and `IRC_Join` decodes to detect joins to the IRC channel `#b3eblebr0x`. Additionally, connection events to port 33270 may be configured to detect connections to a Trinity portshell backdoor program.

The Security Auditor's Research Assistant (SARA) that is based on the once revolutionary SATAN program has been updated to test for Trinity in SARA 3.2.1. The `rc.firewall v4.1` that is an `ipchains` based Linux firewall has been updated to block the Trinity v3 DDOS tool.

Scan systems for port 33270 connections. If you find any connections, perform a penetration test by using telnet to port 33270. If a connection is established type `"!@#"`. A positive test will give you a root shell, and a reasonable assumption that the Trinity agent is installed. According to X-Force the program can be confirmed with the following commands on the Linux computer:

Use "ps" and "lsof" in the following manner to identify a port-shell installed by Trinity:

```
# /usr/sbin/lsof -i TCP:33270
```

```
COMMAND PID USER  FD  TYPE DEVICE SIZE NODE NAME
uucico 6862 root  3u  IPv4 11199    TCP *:33270 (LISTEN)
```

```
# /usr/sbin/lsof -c uucico
```

```
COMMAND PID USER  FD  TYPE DEVICE  SIZE  NODE NAME
uucico 6862 root  cwd  DIR   8,1  4096 306099 /home/jlarimer
uucico 6862 root  rtd  DIR   8,1  4096    2 /
uucico 6862 root  txt  REG   8,1  4312 306589 /home/jlarimer/uucico
uucico 6862 root  mem  REG   8,1 344890 416837 /lib/ld-2.1.2.so
uucico 6862 root  mem  REG   8,1 4118299 416844 /lib/libc-2.1.2.so
uucico 6862 root  0u  CHR 136,2      4 /dev/pts/2
```

```
uucico 6862 root 1u CHR 136,2      4 /dev/pts/2
uucico 6862 root 2u CHR 136,2      4 /dev/pts/2
uucico 6862 root 3u IPv4 11199      TCP *:33270 (LISTEN)
```

```
# ps 6862
```

```
PID TTY  STAT TIME COMMAND
6862 pts/2  S    0:00 fsflush
```

Conclusion

The stage is being set as more new hosts are compromised and connect to the IRC channel every day. Almost any host computer on the Internet may be affected by this new threat either by becoming a zombie or by becoming the target of an attack. Be relentless with security techniques on the computers within your control. Keep your systems up to date. Be sure that your private computers are not used as zombies by blocking all IRC traffic to the Internet. Above all, reporting all incidents to the proper authorities with forensic data intact will help deter future attacks.

References

Internet Security Systems Inc. “Trinity v3 Distributed Denial of Service Tool”, Advisory 59, September 5, 2000

URL: <http://xforce.iss.net/alerts/advise59.php>, September 18, 2000.

Messmer, Ellen. “New hacker weapon poses Web threat”, September 9, 2000

URL: http://www.nwfusion.com/archive/2000/106548_09-11-2000.html, September 18, 2000.

Packet Storm is a division of Securify, Inc. “100 most recent additions to Packet Storm”

URL: <http://packetstorm.securify.com/whatsnew100.html>, September 18, 2000.

Advanced Research Corporation. “What’s New”, September, 2000

URL: <http://www.www-arc.com/wn.html>, September 18, 2000.

Bonisteel, Steven. “Nasty Denial-Of-Service Tool On Network Hosts – Experts”, September 5, 2000

URL: http://www.info-sec.com/denial/00/denial_090600a_j.shtml, September 18, 2000.

Internet Assigned Numbers Authority. “Port Numbers”

URL: <http://www.isi.edu/in-notes/iana/assignments/port-numbers>, September 19, 2000

Upcoming Training

Click Here to
{Get CERTIFIED!}



SANS Las Vegas 2019	Las Vegas, NV	Jan 28, 2019 - Feb 02, 2019	Live Event
SANS Security East 2019	New Orleans, LA	Feb 02, 2019 - Feb 09, 2019	Live Event
Security East 2019 - SEC401: Security Essentials Bootcamp Style	New Orleans, LA	Feb 04, 2019 - Feb 09, 2019	vLive
SANS Northern VA Spring- Tysons 2019	Tysons, VA	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Anaheim 2019	Anaheim, CA	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Scottsdale 2019	Scottsdale, AZ	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS New York Metro Winter 2019	Jersey City, NJ	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Dallas 2019	Dallas, TX	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Secure Japan 2019	Tokyo, Japan	Feb 18, 2019 - Mar 02, 2019	Live Event
Open-Source Intelligence Summit & Training 2019	Alexandria, VA	Feb 25, 2019 - Mar 03, 2019	Live Event
SANS Reno Tahoe 2019	Reno, NV	Feb 25, 2019 - Mar 02, 2019	Live Event
Mentor Session @Work - SEC401	Raleigh, NC	Feb 27, 2019 - Mar 06, 2019	Mentor
SANS Baltimore Spring 2019	Baltimore, MD	Mar 02, 2019 - Mar 09, 2019	Live Event
SANS Secure India 2019	Bangalore, India	Mar 04, 2019 - Mar 09, 2019	Live Event
Baltimore Spring 2019 - SEC401: Security Essentials Bootcamp Style	Baltimore, MD	Mar 04, 2019 - Mar 09, 2019	vLive
Community SANS Indianapolis SEC401	Indianapolis, IN	Mar 04, 2019 - Mar 09, 2019	Community SANS
SANS St. Louis 2019	St. Louis, MO	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Secure Singapore 2019	Singapore, Singapore	Mar 11, 2019 - Mar 23, 2019	Live Event
SANS London March 2019	London, United Kingdom	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS San Francisco Spring 2019	San Francisco, CA	Mar 11, 2019 - Mar 16, 2019	Live Event
Mentor Session - SEC401	Fredericksburg, VA	Mar 12, 2019 - May 14, 2019	Mentor
SANS Munich March 2019	Munich, Germany	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Secure Canberra 2019	Canberra, Australia	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Norfolk 2019	Norfolk, VA	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS vLive - SEC401: Security Essentials Bootcamp Style	SEC401 - 201903,	Mar 19, 2019 - Apr 25, 2019	vLive
SANS 2019 - SEC401: Security Essentials Bootcamp Style	Orlando, FL	Apr 01, 2019 - Apr 06, 2019	vLive
SANS 2019	Orlando, FL	Apr 01, 2019 - Apr 08, 2019	Live Event
Community SANS Raleigh SEC401	Raleigh, NC	Apr 01, 2019 - Apr 06, 2019	Community SANS
SANS London April 2019	London, United Kingdom	Apr 08, 2019 - Apr 13, 2019	Live Event
Blue Team Summit & Training 2019	Louisville, KY	Apr 11, 2019 - Apr 18, 2019	Live Event
SANS Riyadh April 2019	Riyadh, Kingdom Of Saudi Arabia	Apr 13, 2019 - Apr 18, 2019	Live Event