

Global Information Assurance Certification Paper

Copyright SANS Institute Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permited without express written permission.

Interested in learning more?

Check out the list of upcoming events offering "Security Essentials: Network, Endpoint, and Cloud (Security 401)" at http://www.giac.org/registration/gsec

Virtual Private Network (VPN) Security

Gregory J. Ciolek January 4, 2001

Introduction

This paper is intended to present to you how a VPN deals with the basic Internet security concerns.

1: Authentication – The ability to verify the parties on both ends of the link.

2: Integrity – The ability to verify that all data transmitted and received has not been tampered with or changed.

3: Confidentiality – The ability to ensure that all transmitted data over the link is not read or intercepted by unauthorized individuals.

A VPN is a combination of software and hardware that allows telecommuters, remote sites and business partners to use the Internet to establish a secure connection with a host network. This connection forms what appears to be a private network. Below is an example of a VPN.



Virtual Private Network

A secure connection is established by tunneling through the Internet. Tunneling is the encapsulation of a message packet within an IP (Internet Protocol) packet for transmission across the Internet. The encapsulated packet is striped from the IP packet at the receiving network. There are three protocols for tunneling through the Internet, Internet Protocol Security (IPSec), Layer 2 Tunneling Protocol (L2TP) and Point to Point Tunneling Protocol (PPTP). All three protocols adhere to the basic Internet security standards.

Internet Protocol Security (IPSec)

IPSec is part of the IP (Internet Protocol) protocol group. It provides two protocols called AH (Authentication header) and ESP (Encapsulated Security Payload). AH and ESP provide for authentication, integrity and confidentiality when using IPSec. The AH header comes right after the IP Header and contains cryptographic hashes of data and identification. The AH protects the source and destination addresses of the IP header. The ESP header allows for encryption of the data payload protecting data privacy and integrity. ESP works with symmetric encryption algorithms: DES, 3DES and Blowfish. In order to use IPSec you have to use the same protocols, encryption algorithms and keys on both sides of the connection.

The IPSec protocol combines key management with support for digital certificates. IPSec supports the use of Internet Key Exchange (IKE) which is a method for exchanging secure encryption keys over the Internet.

Point to Point Tunneling Protocol (PPTP)

PPTP was developed by Microsoft, Ascend, 3Com, US Robotics and ECI Telematics. The majority of PPTP clients use the Microsoft version of PPTP. PPTP achieves user authentication by using Extensible Authentication Protocol (EAP), Microsoft Challenge-Handshake Authentication Protocol (MS-CHAP), CHAP, Shiva Password Authentication Protocol (SPAP) and Password Authentication Protocol (PAP). All five of these protocols rely on the strength of the password. A strong password policy is one of the simplest means to accomplish authentication and security. Here is an example of a Strong password policy.

Every regular user will be required to enter a unique password for network access. Attributes of passwords:

- must be between 6 and 8 characters
- contain at least one lowercase alphabetic character, one uppercase alphabetic character and one numeric digit
- cannot contain consecutive characters
- cannot match any of the past eight passwords
- cannot contain user name
- will be changed every 60 days
- should not be easily guessed or crackable.

Accounts are locked out after three failed sign-on attempts. Password strength will be tested periodically, some users may be asked to change their passwords to something more complex.

PPTP encapsulates PPP frames into IP data-grams for transmission over the Internet using a modified version the Generic Routing Encapsulation (GRE).

Encryption in PPTP is handled by using Microsoft Point-to-Point Encryption (MPPE). MPPE provides only link encryption and in Windows 2000 you have to use EAP or MS-CHAP in order to encrypt PPTP payloads. MPPE uses the RSA RC4 stream cipher for 40bit, 56-bit & 128-bit encryption.

Layer Two Tunneling Protocol (L2TP)

L2TP is a combination of PPTP and Layer 2 Forwarding (L2F) developed by Cisco Systems. Tunneling using L2TP is accomplished through multiple levels of encapsulation: L2TP, UDP, IPSec, IP, and Data-Link.

L2TP can authenticate the user and the computer. Computer authentication in L2TP is done through an IPSec ESP connection using computer certificates. The certificate identifies the computer itself and not the person using the computer. User authentication is done through a PPTP connection using MS-CHAP, CHAP, SPAP and PAP. Encryption is accomplished through the use of L2TP over IPSec using DES and 3DES.

Firewalls

Integrity can be strengthened in a VPN by the use of a Firewall. There are three approaches to the use of a firewall with a VPN server. Place the firewall between the Internet and the VPN server, corporate network. Place the firewall between the VPN and the corporate network. Place the VPN parallel to an existing firewall.

The diagram on page 1 shows the firewall in front of the VPN server.

The easiest method is to place the VPN parallel to an existing firewall, since it will require no changes to the firewall. The big drawback being you open up two entry points to your network.

Placing the VPN behind an existing firewall requires you to make changes to the firewall. You will have to configure it to filter VPN traffic. It should be noted that not all firewalls have the ability to filter VPN traffic.

Placing the VPN in front of the firewall is said to be the securest method. The VPN can be configured to filter out non-VPN traffic and pass it through to the firewall. The VPN is then left to authenticate and decrypt VPN traffic. VPN traffic is then passed to the firewall for further filtering and routing.

You could also place the VPN on the same server as the firewall, but with two processor intensive applications running on the same server it would slow your network down.

Authentication Re-enforcement's

Authentication in a VPN can also be enhanced by the use of Smart Cards and Token Cards. The only consideration to these methods of security is funding.

Smart Cards

Smart cards are small devices about the size of a credit card. They contain a rudimentary CPU and memory chip. They are used to store user profile, encryption keys and algorithms. They usually require a PIN number in order to use them.

Token Cards

Token cards are similar to Smart cards in that they are about the same in size. They will usually have a small LCD display and a keypad. The user enters a PIN number and the card will then display a passcode, which is used to gain access to the network. all three are very good means at establishing authentication with cost probably being the one deciding factor.

Remote Authentication Dial-In User Service (Radius Servers)

A RADIUS server is a central authentication database. It maintains a profile of the users of the VPN. It can maintain a users connection parameters, IP address assignments, callback information time allotments and accounting information

To wrap up on how a VPN meets security concerns of Internet usage, Authentication, Integrity and Confidentiality.

Authentication

Authentication in **IPSec** with the AH and ESP headers. Authentication in **PPTP** when passwords are authenticated. Authentication in **L2TP** is provided by the use of IPSec and PPTP.

Integrity

With **IPSec** integrity is managed by the AH header which secures the source and destinations portions of the IP header. The ESP protocol also provides integrity from the anti-replay services.

The **PPTP** protocol assures integrity by tightly coordinating the packet flow. **L2TP** through the use of IPSec and PPTP maintains integrity in the same manner.

Confidentiality

The basis for maintaining confidentiality in all three protocols is through the use of encryption. All three protocols provide strong encryption by using DES, DES3& RSA RC4.

Sources:

Microsoft White Paper, Virtual Private Networks An Overview <u>http://www.microsoft.com/WINDOWS2000/Library/howitworks/communications/</u> remoteaccess/vpnoverview.asp 1999

Microsoft White Paper, Virtual Privacy Protected Network Access: Virtual Private Networking and Intranet Security http://www.microsoft.com/WINDOWS2000/Library/howitworks/communications/

remoteaccess/nwpriv.asp 1999

Securing L2TP using IPSEC, INTERNET-DRAFT Category: Standards Track Baiju, Patel: Bernard, Aboba: Microsoft, 2 February 1999 http://www.ietf.org/proceedings/99mar/I-D/draft-ietf-pppext-l2tp-security-03.txt

The Point-to-Point Protocol (PPP)

Network Working Group W. Simpson, Editor Request for Comments: 1661 Daydreamer STD: 51 July 1994 Obsoletes: 1548 Category: Standards Track http://www.ietf.org/rfc/rfc1661.txt?number=1661

Security Architecture for the Internet Protocol Network Working Group Request for Comments: 2401 Obsoletes: 1825 Category: Standards Track, BBN Corp, S. Kent, R. Atkinson @Home Network, November 1998 http://www.ietf.org/rfc/rfc2401.txt?number=2401

IP Security Document Roadmap Network Working Group, Request for Comments: 2411 Category: Informational N. Doraswamy, R. Thayer, Bay Networks, R. Glenn, NIST, Sable Technology Corporation, November 1998 <u>http://www.ietf.org/rfc/rfc2411.txt?number=2411</u>

Virtual Private Networks: Foundation and Practical How-To's SANS2000 Course Book, Tina Bird, March 23,2000