



Global Information Assurance Certification Paper

Copyright SANS Institute
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

Interested in learning more?

Check out the list of upcoming events offering
"Security Essentials Bootcamp Style (Security 401)"
at <http://www.giac.org/registration/gsec>

GSEC Practical Version 1.4
Stacy Bolton
August 1, 2002

Aladdin Esafe Enterprise v3.0

Centrally managed Personal Firewall, Anti-Virus, Anti-Vandal Sandbox, System Monitor, and Application Firewall package.

Abstract

In the ever-changing world of security, there has been a steady increase in technology to protect the perimeter of an enterprise network. Technology enhancements in high-end hardware based Firewall Appliances, Intrusion Detection Systems, and Internet Vulnerability Scanners have kept pace with the evolution of perimeter threats. Internal security vulnerabilities are mitigated by advancements in security hardening techniques for server OS and Webhosting applications.

Although all of the above technologies and techniques are important to protect the enterprise network, there are other technologies that need to be implemented to successfully achieve a Defense-in-Depth strategy. Often overlooked in enterprise security planning, Desktops and Laptops represent the largest number of devices in an enterprise network. These devices, if not protected properly, can circumvent most outward looking perimeter technologies. If left unfettered, viruses and vandals can cause loss of data, system instability, and even Denial of Service attacks against the internal network. This paper will investigate and discuss anti-virus and anti-vandal protection for the desktop/laptop, specifically, the deployment of Aladdin's Esafe Enterprise product.

Why be Concerned

According to International Computer Security Association (ICSA) studies, there is consistent evidence of "an approximate doubling of the risk of computer viruses to organizations each year for at least the past five years despite widespread use of [standard] anti-virus measures." The cost to address and eradicate a virus infection vary depending on the size of an organization, the type of infection and the company's business model, but at a minimum an organization can incur substantial labor expense and system downtime cost to address an occurrence of a virus infection. The chart below quantifies the financial impact of past notable virus infections.

Malicious Code	Year discovered	Type	Time to reach #1	Est. Damage
Immeler	1987	File Infector	5 years	\$50M
Crash	1990	Boot Sector Virus	2 years	\$20M
Crash (the first Macro virus)	1985	Word Macro virus	6 months	\$50M
Malice	1999	Word Macro virus	7 days	\$100-\$200M
Lovebug	2000	Word Macro virus	5 hours	\$100B-\$111

Source: IUSA.net

Malicious Code Prevalence and Damages Throughout the Years

Virus vs Vandal – What is the difference

Simply put, a virus is a program that infects other programs or files by replicating itself when a user runs an infected program or opens an infected document. Viruses typically have small payloads and 'several things in common – they require a host program, they replicate, and they can be detected via signature scanning'.¹ Examples of common virus types include Macro, Boot Sector, File Infector, and Trojan Horse.

Whereas a vandal is an application that auto-executes and makes the infection invisible to the typical user. Vandals typically are malicious in nature and can have devastating payloads. Vandals spread via email, web content, or infected programs. 'Unlike viruses, the full payload has already been delivered by the time the actual vandal program is identified. Therefore, any protection against vandals needs to be proactive and needs to be able to cope with new, unknown vandals.'³ There are two primary types of vandals, Access Violators and Denial of Service attacks. Access Violators delete, steal, alter, or execute unauthorized files. 'A Denial of Service attack is characterized by an explicit attempt by attackers to prevent legitimate users of a service from using that service.'⁴ Java, ActiveX, VisualBasic and other scripting languages are the predominate tools used to create vandal code.

Industry Standard Protection

Standard Anti-Virus software packages utilize a combination of virus signature and heuristic scanning to detect viruses. Virus signature scanning takes code from known viruses and performs basic string searches on the file being scanned. Virus descriptions are updated by the software manufacturer as new viruses are reverse engineered. Signature updates are typically incorporated via an automatic update process that varies by manufacturer. 'Heuristic scanning is similar to signature scanning, except that instead of looking for specific signatures, heuristic scanning looks for certain instructions or commands within a program that are not found in typical application programs. As a result, a heuristic engine is able to detect potentially malicious functionality in new, previously unexamined, malicious functionality such as

the replication mechanism of a virus, the distribution routine of a worm or the payload of a trojan.⁵

Benefits of Central Management

In an enterprise network, desktops/laptops are often deployed throughout the country or even the world. Many business models have adopted a virtual office model that typically includes a large population of end user that telecommute or work in remote office locations connected to the corporate network by dial-up, VPN, or private line technologies. Centralized management of anti-virus software is critical to ensure an efficient, cohesive deployment across the enterprise. Centralized management lessens the likelihood of out-of-date software and virus signature files by employing push technology to update the required components. Centralized management also guarantees a consistent, standardized configuration that can be modified and deployed in a short period of time.

Product Specific Protection

Some software vendors offer additional trademarked protection schemes that utilize enhanced signature scanning and email application monitoring.

Network Associate's McAfee product utilizes proprietary HAWK (Hostile Activity Watch Kernel) technology.

HAWK is a VirusScan option that enables constant monitoring for suspicious activity that may indicate a virus is present on the system. Suspicious activity includes: An attempt to forward e-mail to a large portion of the address book. Attempts to forward multiple e-mail messages in rapid succession. E-mail attachments containing program files (executable files with an .exe file extension) or scripts that can be used to mask the actual type of document transmitted. Although VirusScan does an excellent job detecting known viruses, it cannot detect new viruses without a DAT file update. By monitoring for these typically malicious activities, HAWK notifies you and lets you take action before damage occurs. HAWK can prevent viruses, worms, and trojans from spreading further, while VirusScan cleans the virus to remove it from the computer.⁶

Symantec's Norton Anti-Virus product utilizes its proprietary BloodHound and BloodHound-Macro technology. Norton's BloodHound technology utilizes hybrid heuristic scanning with proprietary algorithms and expert systems to analyze all logical regions of the program. In addition,

BloodHound then analyzes the program logic in each of these components for virus-like behavior, stimulating them just as the neurologist might stimulate the regions of the frog's brain. It uses both static and dynamic techniques to do this analysis and stimulation, and is subsequently capable of detecting a wider variety of behaviors than either of the traditional algorithms. Because Bloodhound identifies and examines every logical component of the virus, it is impervious to most logic trick attacks and general virus pickiness. And because it uses dynamic analysis techniques, it can identify even the most convoluted and obfuscated program logic.⁷

Bloodhound's algorithms and expert system rules are updated via LiveUpdate, Symantec's automatic update facility.

What Makes Aladdin's Esafe Product Different

The Aladdin Esafe product also provides signature based and advanced heuristic scanning with its Macro Terminator™ and correlation comparison engine technology. In addition to the industry standard detection methods, Esafe employs several other technologies that protect the desktop from malicious code.

Behavior Blocking – 'In order to successfully replicate, viruses must do certain things such as attach their code to boot sectors and program files, or hook certain interrupts. eSafe Desktop looks for improper interrupt changes, volume lock tampering, unauthorized "Write to Disk" calls, and other illegal behavior that would indicate a virus attack. It then blocks this activity and prevents the virus from replicating or causing damage.'⁸

Virus Honeypots – During boot-up Esafe creates several 'honeypot' files. If any changes to these files are detected, the system is infected and warnings are issued.

Smart-Scan™ Integrity Checking – 'After it scans a new file, eSafe records the header information, CRC checksum, and unique internal data of each program file. This information is used later to detect changes in files and to reconstruct program files if a known or unknown virus infects them'⁸

Ghost Machine™ Technology – Allows safe execution of programs in a virtual machine environment. This allows polymorphic viruses to decrypt and expose themselves to the virus scanner prior to gaining access to system resources.

Sandbox II / Dynamic Sandbox Technology™ - Utilizes the theory of access control lists and applies it to applications requesting system resources. A system driver monitors all active processes and applications and verifies their use of system resources against a predefined access control list. Dynamic Sandbox Technology™ allows the restrictions for internet browsers 'to adapt to the type of content being viewed. For instance, the allowed areas for access will shrink when a Java Applet is loaded into the browser.'⁸



An illustration of Sandbox technology

Full Product overview

Esafe Desktop includes five primary modules that if properly configured will protect the system from most malicious activity.

- Sandbox II Technology – Limits Internet applications to a confined area that prevents malicious code from accessing vital system areas.
- Personal Firewall – Blocks ports used by vandals and filters inappropriate content.
- On-Access Anti-Virus – Real-time detection and eradication of known and unknown viruses.
- Application Firewall – Prevents unauthorized applications from accessing the Internet.
- System Monitor – Real-time monitoring and protection of system files and registry keys.

System Requirements¹

Administrative Console

Operating system: Windows 95/98/Me/NT/2000.

Computer: Pentium 100, Pentium II recommended.

RAM: 64 MB.

Enterprise Client

Operating system: Windows 95/98/Me/NT/2000.

Computer: Pentium 100, Pentium II recommended.

Disk space: 15 MB.

Additional drives: CD-ROM drive or Internet connectivity (for installation).

RAM: 32 MB.

Esafe allows for the ability to Activate / Deactivate, set the level of user notification and interaction, and what media to monitor for each of the aforementioned categories. The graphical ACL interface allows for easy permission modification to the standard rule set. Select the Sandbox to be edited from the drop-down list, select the file/directory to be modified, and modify the permissions by selecting the appropriate activities.




Graphical Interface showing ACL rule set for Internet Explorer

Personal Firewall

Esafe's Personal Firewall module contains several smaller modules including a Content Filter, a Privacy Filter, and an Application Firewall sub-module. The Personal Firewall has several predefined rule sets including 'Trojan Hackers Ports' and 'No Internet' for traditional firewall configurations. 'Hacker Words', 'Racist Words', and 'PG-13 Sites' are examples of predefined Content Filters. Operation times and type of user notification / interaction can be defined as well. Personal Firewall selections are implemented in the Administrator Module discussed later.

Firewall Map


This module allows for the creation of custom TCP port rule sets or the modification of existing sets. Traffic rules define the types of communication that can take place when a Personal Firewall is active. Incoming and outgoing communication for each port can be defined separately or together. Exceptions for each traffic rule by IP Address or Domain Name can be defined.



Firewall Map screen shot showing Trojan Port definitions.

Content Filter

This module allows for the creation of custom filter sets or the modification of existing sets. Access to Internet sites, data and newsgroups containing these words are monitored for the words on the list. If a violation occurs, Esafe can deny access and stop or ignore and continue. A silent mode is also available, when enabled Esafe will perform the action defined without notifying the user.



Popup Message showing a user-defined content filter being triggered.



Privacy Filter

The Privacy Filter allows the creation of a user-defined list of words, numbers, codes, phrases, etc. that cannot be sent unencrypted without approval.

Application Firewall

The Application Firewall makes sure that only sandboxed applications can connect to the Internet freely. When other applications attempt to connect to the Internet, the

Application Firewall intervenes to block the connection and displays a warning message.¹⁹ Depending on the notification configuration, the user will be presented with one of the following prompts:




Anti-Virus Module

The Esafe Anti-Virus Module contains three sub-modules: On-Demand, On-Access, and Environment. The sub-modules are used to configure the different activities of the virus-scanning engine.


On-Demand Scanner

The On-Demand scanner utilizes a graphical directory tree to define the scope of scanning. There are two different types of scanning, Standard and Smart, both have a 'Scan and Analyze' option. The Standard scan option enables the scanner to scan all file types that are susceptible to virus infection. The Smart scan utilizes the CRC checksum file vs.vsn to scan only files that have changed since the last scan. Both the Standard and Smart scanning options utilize virus signature files that can be automatically updated with the AutoUpdate feature. The 'Scan and Analyze' option enables Esafe to utilize its heuristic algorithms to detect new, undefined viruses. The scanner can be configured to remove the viruses from infected files, delete infected files, notify the user, or prompt the user to clean or delete the file. A report file can be configured on the local pc or network drive if available. The module also facilitates the creation of user-defined scanning rule sets. Each rule set can have different scanning scopes and configuration options selected. The purpose is to provide the user a quick method of choosing scan options. An integrated scheduling facility is also included.




On-Access Scanner


The On-Access scanner runs as a background process while other programs and user interaction is taking place. This sub-module allows the configuration of the Esafe On-Access Scanner. Like the On-Demand module, the On-Access module includes Standard, SmartScan and Silent Mode Options. Other configurable options are File Extension List and default Scanning Activities. The File Extension List contains the file extensions of the file types that will be scanned by the On-Access Scanner. This list can be modified and include wildcard patterns. Specific Scanning Activities relating to floppy drive access, file access and SmartScan are also configurable. Examples of the available configuration options can be seen in the screen shots below. Please note that the On-Access Scanner only utilizes the virus signature file to identify potential virus threats. It does NOT utilize advanced heuristic scanning. This appears to be a design decision to limit the amount of system resources consumed by the On-Access scanner.



Floppy Drive Activity – When and how to scan



File Activity – Actions and Reactions to performed activities



Esafe Desktop Configuration Wizard

Administrator

The Administrator Module contains a Reporting facility, allows modules to be enabled/disabled, controls Personal Firewall implementation, and includes the System Protection sub-module.

Reports

The Reporting facility provides ad-hoc queries for all virus, vandal, and firewall activities. Sample report data can be found in the Controlled Environment Testing portion of this paper.

Privileges

This administrative tab allows the implementation of one or more Personal Firewall rule sets and the de-activation of individual Sandbox entries. It also has a powerful Windows policy-like restriction rule set that can be configured. Restrictions on Network Neighborhood, registry editing tools, Control Panel Access, local password caching, and local file/print sharing are some of the more useful settings.



Administrative Privilege Assignment Interface

Password

Establishes a password to allow only authorized access to the ESAFE Desktop configuration.

Active Modules

Controls which of the following Modules are active: Sandbox, Personal Firewall, On-Access Anti-Virus, Applications Firewall, and System Monitor.

System Protection

This sub-module provides real-time protection for critical registry keys and system files. The module will stop the requested action and prompt the user for approval when a protected area is being modified. The module monitors the following file changes: system boot files, Windows startup files, when DLL files are added, when Vxd files are installed, and renaming of files in use on startup. Critical Registry keys such as: Runonce, autorun, and classes.reg (file associations) are also monitored. Application specific settings like browser security settings, MS Office Macro protection settings, and MS Internet Explorer start page changes are included. The System Protection Module helps to prevent Trojans, Vandals, Viruses, and backdoors from compromising your pc's security.



System Protection Configuration Options

Controlled Environment Testing

A web site that has various testing scenarios can be located at: <http://gruper.com/demo/>
 Activities that were tested by Esafe V3.0, 7/31/02 signature files:

- Hostile ActiveX controls -passed
- Macro Virus detection - passed
- EICAR standard virus scanning - passed
- Hostile Java Applets -passed
- Hostile VB Scripts - passed

Activities that were tested by Norton Anti-Virus V4.0, 8/21/02 signature files:

- Hostile ActiveX controls -passed
- Macro Virus detection - Failed
- EICAR standard virus scanning - passed
- Hostile Java Applets – Failed (WeatherReport)
- Hostile VB Scripts – Failed (File Access)

```

2002-04-06 20:38 SWB4211 Anti-viru The Win32.SubSeven228 virus was found in file C:\TEMP\ISE INSTRUCTOR
CD\WINDOWS-VERSIONS\SUB7\SERVER.EXE
2002-04-06 20:43 SWB4211 Anti-viru The VBS.FireBurn virus was found in file C:\TEMP\ISE INSTRUCTOR
CD\DOCS\ATTACKS WORMS VIRUSES\MODIFIED_ILOVEYOU_VIRUS.V.2.0.VBS
2002-07-22 22:46 SWB4211 Access IEXPLORE.EXE tried to Create C:\WINNT\SYSTEM32\CATROOT\ Action
performed: Deny access and stop
2002-07-22 22:46 SWB4211 Access IEXPLORE.EXE tried to Create :\WINNT\SYSTEM32\CATROOT\{F750E6C3-
38EE-11D1-85E5-00C04FC295EE}. Action performed: Deny access and stop
2002-07-22 22:48 SWB4211 Access IEXPLORE.EXE tried to Create C:\SANS\EICAR.COM. Action performed:
Deny access and stop
2002-07-22 22:48 SWB4211 Access IEXPLORE.EXE tried to Read C:\DOCUMENTS AND
SETTINGS\SWB4211\MY DOCUMENTS\EICAR.COM. Action performed: Deny access and stop
2002-07-22 22:54 SWB4211 Access IEXPLORE.EXE tried to Create C:\TEST.BAT. Action performed: Deny access
and stop
2002-07-22 22:56 SWB4211 Access IEXPLORE.EXE tried to Create C:\WEATHERDEMO. Action performed: Deny
access and stop
2002-07-22 22:56 SWB4211 Access IEXPLORE.EXE tried to Create C:\WEATHERDEMO\DUMMY.TXT. Action
performed: Deny access and stop
2002-07-22 22:56 SWB4211 Access IEXPLORE.EXE tried to Create C:\DOCUMENTS AND
SETTINGS\SWB4211\LOCAL SETTINGS\TEMP\ICD1.TMP\NETSNOOPER.COX. Action performed: Deny
access and stop
  
```


2002-08-19 11:04 SWB4211 Internet Forbidden word access. Action performed: Deny access and stop
2002-08-19 7:03 SWB4211 Internet Access restricted port 135 (Out). Action performed: Deny access and stop
2002-08-19 7:03 SWB4211 Internet Access restricted port 0 (Out). Action performed: Ignore and continue normally
2002-08-19 7:03 SWB4211 Internet Access restricted port 135 (Out). Action performed: Deny access and stop
2002-08-19 7:03 SWB4211 Internet Access restricted port 0 (Out). Action performed: Ignore and continue normally
2002-08-19 7:04 SWB4211 Internet Access restricted port 135 (Out). Action performed: Deny access and stop
2002-08-19 7:04 SWB4211 Internet Access restricted port 0 (Out). Action performed: Ignore and continue normally
2002-08-19 7:06 SWB4211 Internet Access restricted port 1103 (Out). Action performed: Ignore and continue normally
2002-08-19 7:06 SWB4211 Internet Access restricted port 1112 (Out). Action performed: Ignore and continue normally
2002-08-19 9:30 SWB4211 Internet Access restricted port 1048 (Out). Action performed: Ignore and continue normally

Example of data reported in the Esafe report log

© SANS Institute 2000 - 2002, Author retains full rights.

References

- ¹ Aladdin Knowledge Systems, "Esafe v3.0 Administrator's Manual"
- ² ICSA 7th Annual Computer Virus Prevalence Survey 2001, Bridwell, Lawrence M, ICSA Labs, Tippett, Peter, TruSecure Corp
<http://www.trusecure.com/download/dispatch/vps-survey-2001.pdf?ECDE=W0073>
(August 10, 2002)
- ³ Safe Internet Connectivity for the Enterprise
ftp://ftp.ealaddin.com/pub/manuals/ese/ese_wp.pdf (August 13, 2002)
- ⁴ CERT Coordination Center, Denial of Service Attacks
http://www.cert.org/tech_tips/denial_of_service.html (August 13, 2002)
- ⁵ Heuristic Techniques in AV Solutions, Schmall, Markus
<http://online.securityfocus.com/infocus/1542> (August 14, 2002)
- ⁶ McAfee VirusScan Professional Getting Started Guide
http://download.nai.com/products/manuals/mcafee_software/VirusScan_Pro/v6.0/NAI-519-0010-5.pdf (August 14, 2002)
- ⁷ Understanding Heuristics: Symantec's Bloodhound Technology
<http://www.symantec.com/avcenter/reference/heuristc.pdf> (August 14, 2002)
- ⁸ Safe Internet Connectivity for the Home and Small Office
ftp://ftp.ealaddin.com/pub/manuals/esd/esd_wp.pdf (August 15, 2002)
- ⁹ Esafe Desktop V3.0 Help File
- ¹⁰ Live Demonstrations of Content Security Threats
<http://gruper.com/demo/> (7/22/2002, 8/22/2002)

Upcoming Training

Click Here to
{Get CERTIFIED!}



SANS Seattle Spring 2018	Seattle, WA	Apr 23, 2018 - Apr 28, 2018	Live Event
Mentor Session - AW SEC401	Detroit, MI	May 01, 2018 - May 17, 2018	Mentor
SANS Security West 2018	San Diego, CA	May 11, 2018 - May 18, 2018	Live Event
SANS Northern VA Reston Spring 2018	Reston, VA	May 20, 2018 - May 25, 2018	Live Event
SANS Atlanta 2018	Atlanta, GA	May 29, 2018 - Jun 03, 2018	Live Event
SANS London June 2018	London, United Kingdom	Jun 04, 2018 - Jun 12, 2018	Live Event
Community SANS Bethesda SEC401	Bethesda, MD	Jun 04, 2018 - Jun 09, 2018	Community SANS
SANS Rocky Mountain 2018	Denver, CO	Jun 04, 2018 - Jun 09, 2018	Live Event
Community SANS New York SEC401	New York, NY	Jun 04, 2018 - Jun 09, 2018	Community SANS
SANS Cyber Defence Japan 2018	Tokyo, Japan	Jun 18, 2018 - Jun 30, 2018	Live Event
SANS Oslo June 2018	Oslo, Norway	Jun 18, 2018 - Jun 23, 2018	Live Event
Community SANS Portland SEC401	Portland, OR	Jun 18, 2018 - Jun 23, 2018	Community SANS
Community SANS Madison SEC401	Madison, WI	Jun 18, 2018 - Jun 23, 2018	Community SANS
SANS Crystal City 2018	Arlington, VA	Jun 18, 2018 - Jun 23, 2018	Live Event
Minneapolis 2018 - SEC401: Security Essentials Bootcamp Style	Minneapolis, MN	Jun 25, 2018 - Jun 30, 2018	vLive
Community SANS Nashville SEC401	Nashville, TN	Jun 25, 2018 - Jun 30, 2018	Community SANS
SANS Minneapolis 2018	Minneapolis, MN	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS Cyber Defence Canberra 2018	Canberra, Australia	Jun 25, 2018 - Jul 07, 2018	Live Event
SANS Vancouver 2018	Vancouver, BC	Jun 25, 2018 - Jun 30, 2018	Live Event
SANS London July 2018	London, United Kingdom	Jul 02, 2018 - Jul 07, 2018	Live Event
SANS Cyber Defence Singapore 2018	Singapore, Singapore	Jul 09, 2018 - Jul 14, 2018	Live Event
SANS Charlotte 2018	Charlotte, NC	Jul 09, 2018 - Jul 14, 2018	Live Event
SANSFIRE 2018	Washington, DC	Jul 14, 2018 - Jul 21, 2018	Live Event
SANS Malaysia 2018	Kuala Lumpur, Malaysia	Jul 16, 2018 - Jul 21, 2018	Live Event
SANSFIRE 2018 - SEC401: Security Essentials Bootcamp Style	Washington, DC	Jul 16, 2018 - Jul 21, 2018	vLive
Mentor Session - SEC401	Jacksonville, FL	Jul 17, 2018 - Aug 28, 2018	Mentor
Community SANS Bethesda SEC401	Bethesda, MD	Jul 23, 2018 - Jul 28, 2018	Community SANS
SANS Pittsburgh 2018	Pittsburgh, PA	Jul 30, 2018 - Aug 04, 2018	Live Event
SANS Hyderabad 2018	Hyderabad, India	Aug 06, 2018 - Aug 11, 2018	Live Event
San Antonio 2018 - SEC401: Security Essentials Bootcamp Style	San Antonio, TX	Aug 06, 2018 - Aug 11, 2018	vLive
SANS San Antonio 2018	San Antonio, TX	Aug 06, 2018 - Aug 11, 2018	Live Event