



# Global Information Assurance Certification Paper

Copyright SANS Institute  
Author Retains Full Rights

This paper is taken from the GIAC directory of certified professionals. Reposting is not permitted without express written permission.

## Interested in learning more?

Check out the list of upcoming events offering  
"Security Essentials Bootcamp Style (Security 401)"  
at <http://www.giac.org/registration/gsec>

**Building an Enterprise Ready, Client based VPN Solution.  
And doing it on the cheap.  
By Kurt Anderson  
06/08/04**

© SANS Institute 2004, Author retains full rights.

## Introduction

As the proliferation of the internet and the use of computers continues to expand in both the corporate world and private sector so grows the need for secure communication. Secure communication comes in many forms, encrypted e-mail, SSL secured web sessions to name a few, all of which carry their own pros and cons. Most of these methods of security are aimed at protecting transmission over very specific forms of communication like e-mail, web, and telnet.

Large business have become ever more reliant on computers and connecting their global and regional offices to help cut costs and share data over a broad range of departments and affiliates. Smaller business use remote access to keep their competitive edge. In these settings the VPN (Virtual Private Networks) has proved invaluable as a method of connecting remote sites and users back to their home networks and doing so in a secure manner. This paper will give you a brief overview on remote access and the VPN and show you how to build your own VPN solution and do it with free software and hardware you most likely already have.

### A little history on Remote access and the VPN

Remote access over the years has been a slowly evolving entity. Access to home, small office and corporate networks have, since the start of "remote computing" been primarily been over POTS (Plain Old Telephone Service) on a dedicated line connected to a individual server or into a RAS (Remote access server) allowing access to a broader range of network resources. While being consistently reliable and certainly secure it tied up expensive dial-in lines, required expensive hardware and was painfully slow. This all changed with the advent VPN. VPNs use high-encryption over increasingly common high speed, always on internet connections (broadband at home and in the small office and T1/T3s at the corporate level) to create a secure tunnel over unsecured communication channels. The best part is that VPNs use the existing infrastructure (the internet) as the medium to connect over and can show a significant savings compared to RAS over POTS.

The VPN (Virtual private network) has what I believe was had a profound impact on what remote access was and is still shaping the remote access solutions of tomorrow.

### Why I chose PPTP over IPsec

There are a number of VPN technologies in use today, with the two most prominent probably being PPTP (Point to Point Tunneling Protocol) and IPsec. Both are open standards developed by the IETF (Internet Engineering Task

Force)<sup>1</sup> consisting of a consortium of key vendors and individuals in the computer industry.

IPsec is an application layer based security technology known for its reliability and strong encryption. The big downside of IPsec, in some regards, is its requirement of external software to work as IPsec works at the application layer. Free IPsec implementations do exist but for this reason IPsec has found a home more in protecting server to server connections than fulfilling remote access needs of individual users. This is where PPTP comes in.

PPTP is the VPN solution (or technology) for all the road warriors, vendors and stay-at-home employees out there. PPTP can support server to server connections as well but its design was really for temporary connection types. Unlike IPsec which is application based PPTP is a protocol and resides at the network layer level. PPTP acts as a VPN by encapsulating PPP (Point to Point) protocol and tunneling it through a given IP network. All communication including authentication and encryption are handled by PPP.<sup>2</sup> What that means is you can build support for PPTP connections right into the OS. And that is exactly what Microsoft did when it created its own “version” of PPTP and included a PPTP client (by default or download) in all of its Windows products from Windows 95 to Windows XP. For this reason alone PPTP makes a great client-server VPN solution, in that MS Windows owns the lions share of the desktop computer OS market. With client software already installed on the remote end all that is left is a PPTP server on the network side. While Microsoft does include a PPTP server in its server offerings starting with Windows NT Server, we’re going to show you how you can leverage a FREE PPTP server to reduce your remote access costs even further.

This is where the Linux PoPToP Project comes in.

## The Linux PoPToP Project

Building a free PPTP server that can support MS Windows PPTP clients natively is where PoPToP comes in. Poptop was originally developed by Morton Bay, now CyberGuard () and released to the public under the GPL (General Public License) in 1999. The project is now located at <http://www.poptop.org> and those involved have created a scaleable PPTP server solution capable of running on Linux, Solaris, FreeBSD and OpenBSD. The implementation of PPTP developed through the PoPToP Project works seamlessly with Microsoft’s implementation of PPTP<sup>3</sup> that is included in most all of its windows products. As you can see already having a client installed on the remote computers and using an open source PPTP server running on Linux leaves only for hardware to be

---

<sup>1</sup> The full RFCs can be found at <http://www.ietf.org/rfc.html>. Put the RFC # associated with either PPTP or IPsec in the search field or go to the index and scroll to find them.

<sup>2</sup> Ramsay, Matthew. “Poptop, a Secure and Free VPN Solution.” *Linux Journal* June 2000

<sup>3</sup> Microsoft. “Point-Point Tunneling Protocol FAQ” June 27 2001. URL: <http://www.microsoft.com/ntserver/ProductInfo/faqs/PPTPfaq.asp>

acquired to complete the entire solution. Using a stripped down version of Linux like we will install in just a little on that old PIII 450 lying in the corner of your office should allow for 100-200 simultaneous connections into your office environment. The only real limitation ends up being bandwidth on the client end and that of your corporate network or small office.

### **Things to note before the install**

The first and foremost is that renowned cryptologist Bruce Schneier has shown that while in the PPTP protocol itself they have found no flaws, serious flaws do exist in Microsoft's initial implementation of it. In fact he states, "There are not one but SIX serious flaws".<sup>4</sup> Since the drive of the PoPToP Project was to create a solution that allows Microsoft Windows clients to connect to a Linux PPTP server it too has those same flaws. Thankfully there are a number of things we can do to mitigate the risk of these flaws being exploited. Microsoft's version of CHAP (Challenge Handshake Authentication Protocol) called MSCHAP has been reworked to correct the flaws in it and released again now as MSCHAPv2. MPPE (Microsoft's Point to Point Encryption) was reworked as well to Schneier's satisfaction. We will also include in the installation how to specify that clients use these new features and don't fall back on the old, flawed authentication and encryption protocols.

## **The installation**

### **Preliminary Preparation and Requirements**

This paper assumes that RH (Red Hat 9) has been loaded on a machine meeting the minimum hardware standards above and the additional packages specified under "Kernel Development" were either included in the initial install of RH or added after the install was complete.

Note: The "Kernel Development" packages are included for possible recompilation of the kernel in the future.

In addition to the above the following packages should be obtained at the sites listed below. You can download them to whatever directory you would normally store source code in, for this paper I created a directory in /root called "pptpsrc" and downloaded the files there.

### **Kernelmod-0.7.1.tar.gz**

<http://prdownloads.sourceforge.net/poptop/kernelmod-0.7.1.tar.gz?download>

Note: This installs MPPE which is Microsoft's Point-to-Point Encryption. Since we are planning on using Microsoft's PPTP client and the client uses MPPE we need to add it to our server install.

### **pptpd-1.1.3-20030409.tar.gz**

---

<sup>4</sup> Schneier, Bruce, "Frequently asked Questions -- Microsoft's PPTP Implementation" 1998 URL: <http://www.schneier.com/pptp-faq.html>

<http://prdownloads.sourceforge.net/poptop/pptpd-1.1.3-20030409.tar.gz?download>

Note: This is the actual PPTP server source from the Poptop project.

### Hardware requirements

Although the PoPToP Project does not specify any real minimum hardware specs there are a few recommendations. For a 10-50 user (simultaneous connections) environment a PII 200 with 256 of RAM should provide more than enough power for a solid VPN server. If you're expecting to have as many as 250-350 users a PIII 750 with 512MB - 1GB of RAM should be utilized.<sup>5</sup>

Note: Your mileage will vary. Due to unique environmental variables in each separate network the machine you end up using might not provide the necessary processing power needed to keep the clients connection robust or alive.

### The installation is comprised of (6) steps

**INSTALL NOTE:** You must be logged in as the root user for the installation to be successful. When asked to enter a command it will always be found in bold and after the "#".

#### Step 1 – Install the Kernelmod

```
[root@money Penny2 pptpsrc]# gunzip kernelmod-0.7.1.tar.gz
[root@money Penny2 pptpsrc]# tar -xvf kernelmod-0.7.1.tar
[root@money Penny2 pptpsrc]# cd kernelmod
[root@money Penny2 kernelmod]# ./kernelmod.sh
```

Verify the kernelmod installed correctly by entering the following

```
[root@money Penny2 kernelmod]# modprobe ppp-compress-18

warning: loading /lib/modules/2.4.20-8/kernel/drivers/net/ppp_mppe.o will taint the kernel: non-GPL license - BSD without advertisement clause
  See http://www.tux.org/1kml/#export-tainted for information about tainted modules
Module ppp_mppe loaded, with warnings
```

**INSTALL NOTE:** The above message is normal and expected. The last line confirms that the module did load. You can further confirm that it has in fact loaded by entering the following and look "ppp\_mppe" and "ppp\_generic" (in italics) under the module heading.

```
[root@money Penny2 kernelmod]# lsmod
Module                Size  Used by    Tainted: P
ppp_mppe              13720  0  (unused)
```

<sup>5</sup> [http://sourceforge.net/mailarchive/message.php?msg\\_id=6860884](http://sourceforge.net/mailarchive/message.php?msg_id=6860884)

```

ppp_generic      23836    0    [ppp_mppe]
slhc             6580    0    [ppp_generic]
autofs          12148    0    (autoclean) (unused)
tlan            29528    1
keybdev         2720    0    (unused)
mousedev        5204    0    (unused)
hid             20772    0    (unused)
input           5632    0    [keybdev mousedev hid]
usb-uhci        24652    0    (unused)
usbcore         73088    1    [hid usb-uhci]
ext3            64704    2
jbd             47828    2    [ext3]
[root@money2 kernelmod]#

```

## Step 2 – Install the PPTP server

```

[root@money2 kernelmod]# cd ..
[root@money2 pptpsrc]# gunzip pptpd-1.1.4-b4.tar.gz
[root@money2 pptpsrc]# cd pptpd-1.1.4/
[root@money2 pptpd-1.1.4]# f

```

**INSTALL NOTE:** Make sure that there are no errors before continuing. If there are errors, resolve those first and then run configure again.

```

[root@money2 pptpd-1.1.4]# make
[root@money2 pptpd-1.1.4]# make install

```

**INSTALL NOTE:** Make sure that there are no errors before continuing. If there are errors, resolve those first and then run configure again.

## Step 3 – Configure the PPTP server parameters and start the service

**INSTALL NOTE:** These parameters should work for Windows 2000 & XP clients without modifications. If you have other clients in your environment you might have to modify the parameter files slightly. You can find documented examples in the PoPToP source folder under /samples.

Edit the file pptpd.conf located in /etc include the following:

```

option /etc/ppp/options.pptpd
localip xxx.xx.xxx.xxx
remoteip xxx.xx.xxx.xxx

```

**INSTALL NOTE:** The “xxx.xx.xxx.xxx” is the IP address or range you will use for your local server and for your remote clients. If you have dedicated a whole subnet to your remote users use a “-” to encompass the whole subnet (Example: 172.23.129.1-254).

Create the file options.pptpd in /etc/ppp to include the following:

```
[name *]
[lock]
[mtu 1450]
[mru 1450]
[proxyarp]
[auth]
[+chap]
#[+chapms]
[+chapms-v2]
[ipcp-accept-local]
[ipcp-accept-remote]
[lcp-echo-failure 3]
[lcp-echo-interval 5]
[deflate 0]
[mppe-128]
#[mppe-40]
[mppe-stateless]
```

**INSTALL NOTE:** Notice that we have specifically commented out the original implementation of MSCHAP and MPPE 40-Bit encryption. We are forcing our clients to authenticate using CHAP (Not MS) or MSCHAPv2 and only allow 128-Bit encryption. This reasonably mitigates the problems we discussed earlier with Microsoft's "flavor" of PPTP.

For a detailed description of all the options used above, refer to the sample options file in the pptpsrc/poptop/samples folder.

Finally we need to edit the file /etc/ppp/chap-secrets which includes the userid and passwords we will give to our remote users. In this instance I've added the below.

```
# Secrets for authentication using CHAP
# client(user) server(server) secret(pass) IP(if fixed)
john moneypenny2 dial1254wu
```

Lastly it's time to start the service by issuing the command below

```
[root@moneypenny2 ppp]# pptpd
```

#### **Step 4 – Configure the Firewall to allow PPTP traffic to pass to the server**


Since the PPTP server will reside inside the firewall you will need to create a rule on your firewall or router forwarding all traffic for port 1723 to your PPTP server. Some firewalls with the label "SOHO" (Small Office Home Office) might have a rule already written labeled "PPTP" that only needs to be modified with the server name and then turned on.




However, ultimately how this is facilitated depends on what type of firewall or router you utilize and is outside the scope of this paper.

### **Step 5 – Configure the PPTP Client (In this example the native Windows 2000 PPTP Client)**


On the Windows desktop right click on “My Network Places” and select “Properties” (see below)



Once the “Network and Dial-up Connections” window opens select “Make New Connection” (see below)



The new connection wizard will open and you'll want to select "Connect to a private network through the Internet" (see below)



Follow the prompts entering the information for your connection which includes the IP address of your firewall (which will route your VPN traffic to the server for you) and the name of your connection (in this instance "The Office"). At the end

it will ask you to click “o.k.” and will place a shortcut on your desktop for your connection. (See below)



### Step 6 – Connect

Our client now away from the office and connected to some form of high speed internet has only to click the shortcut created, enter his or her credential information (as seen below) and connect. The user is authenticated via our PPTP server and allowed seamlessly into the network.

© SANS Institute 2004,



## Conclusion:

The PPTP Server that came out of the PoPToP Project allows business and home users alike to build an affordable, scalable and secure remote access solution using free software and inexpensive hardware you probably already have. This solution should give everyone pause to reevaluate their remote access needs, current installations and the places they wish to go tomorrow.

© SANS Institute 2004. Author retains full rights.

## **Glossary of Terms:**

**PPP:** Point-to-Point Protocol

**PPTP:** Point-To-Point Tunneling Protocol

**POTS:** Plain Old Telephone Service

**VPN:** Virtual Private Network

**IETF:** Internet Engineering Task Force - <http://www.ietf.org/>

**WAN:** Wide Area Network

**GPL:** General Public License - <http://www.gnu.org/copyleft/gpl.html>

**RH:** Red Hat

**MPPE:** Microsoft's Point-to-Point Encryption

**CHAP:** Challenge Handshake Authentication Protocol

**MSCHAP:** Microsoft CHAP

**RAS:** Remote Access Server or Remote Access Service

© SANS Institute 2004, Author retains full rights.

## Sources:

Schneier, Bruce. "Frequently asked Questions -- Microsoft's PPTP Implementation" 1998 URL: <http://www.schneier.com/pptp-faq.html> (10 May, 2004)

Microsoft. "Point-Point Tunneling Protocol FAQ" June 27 2001. URL: <http://www.microsoft.com/ntserver/ProductInfo/faqs/PPTPfaq.asp> (May 10, 2004)

Poptop Project. "Setting up PPTP on Linux Kernel 2.4 HOWTO" Version 0.76. December 16, 2001. URL: <http://poptop.sourceforge.net/dox/source-howto.html> (May 6, 2004)

Poptop Project. "Poptop Questions & Answers" June 30, 2003. URL: <http://poptop.sourceforge.net/dox/qna.html> (May 6, 2004)

Poptop Project Mailing list archive. URL: [http://sourceforge.net/mailarchive/forum.php?forum\\_id=8250](http://sourceforge.net/mailarchive/forum.php?forum_id=8250) (March 2002 – Present day)

Ramsay, Matthew. "Poptop, a Secure and Free VPN Solution." Linux Journal June 2000 (2000)

Cameron, James. "Red Hat 9 HOWTO" June 18, 2003. URL: <http://pptpclient.sourceforge.net/howto-redhat-90.phtml> (May 7, 2004)

McCabe, Linus & Cameron, James. "Routing HOWTO" November 25, 2002. URL: <http://pptpclient.sourceforge.net/routing.phtml> (May 7, 2004)

IETF. "Point-to-Point Tunneling Protocol (PPTP)" July 1999. URL: <http://www.ietf.org/rfc/rfc2637.txt> (May 10, 2004)

© SANS Institute 2004. Author retains full rights.

# Upcoming Training

Click Here to  
**{Get CERTIFIED!}**



SANS Miami 2019	Miami, FL	Jan 21, 2019 - Jan 26, 2019	Live Event
SANS Las Vegas 2019	Las Vegas, NV	Jan 28, 2019 - Feb 02, 2019	Live Event
Mentor Session - SEC401	Richmond, VA	Jan 31, 2019 - Mar 14, 2019	Mentor
SANS Security East 2019	New Orleans, LA	Feb 02, 2019 - Feb 09, 2019	Live Event
Security East 2019 - SEC401: Security Essentials Bootcamp Style	New Orleans, LA	Feb 04, 2019 - Feb 09, 2019	vLive
SANS Northern VA Spring- Tysons 2019	Vienna, VA	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Anaheim 2019	Anaheim, CA	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Secure Japan 2019	Tokyo, Japan	Feb 18, 2019 - Mar 02, 2019	Live Event
SANS Scottsdale 2019	Scottsdale, AZ	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS New York Metro Winter 2019	Jersey City, NJ	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Dallas 2019	Dallas, TX	Feb 18, 2019 - Feb 23, 2019	Live Event
Open-Source Intelligence Summit & Training 2019	Alexandria, VA	Feb 25, 2019 - Mar 03, 2019	Live Event
SANS Reno Tahoe 2019	Reno, NV	Feb 25, 2019 - Mar 02, 2019	Live Event
Mentor Session @Work - SEC401	Raleigh, NC	Feb 27, 2019 - Mar 06, 2019	Mentor
SANS Baltimore Spring 2019	Baltimore, MD	Mar 02, 2019 - Mar 09, 2019	Live Event
Baltimore Spring 2019 - SEC401: Security Essentials Bootcamp Style	Baltimore, MD	Mar 04, 2019 - Mar 09, 2019	vLive
SANS Secure India 2019	Bangalore, India	Mar 04, 2019 - Mar 09, 2019	Live Event
Community SANS Indianapolis SEC401	Indianapolis, IN	Mar 04, 2019 - Mar 09, 2019	Community SANS
SANS London March 2019	London, United Kingdom	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS St. Louis 2019	St. Louis, MO	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Secure Singapore 2019	Singapore, Singapore	Mar 11, 2019 - Mar 23, 2019	Live Event
SANS San Francisco Spring 2019	San Francisco, CA	Mar 11, 2019 - Mar 16, 2019	Live Event
Mentor Session - SEC401	Fredericksburg, VA	Mar 12, 2019 - May 14, 2019	Mentor
SANS Norfolk 2019	Norfolk, VA	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Munich March 2019	Munich, Germany	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS Secure Canberra 2019	Canberra, Australia	Mar 18, 2019 - Mar 23, 2019	Live Event
SANS vLive - SEC401: Security Essentials Bootcamp Style	SEC401 - 201903,	Mar 19, 2019 - Apr 25, 2019	vLive
Community SANS Raleigh SEC401	Raleigh, NC	Apr 01, 2019 - Apr 06, 2019	Community SANS
SANS 2019	Orlando, FL	Apr 01, 2019 - Apr 08, 2019	Live Event
SANS 2019 - SEC401: Security Essentials Bootcamp Style	Orlando, FL	Apr 01, 2019 - Apr 06, 2019	vLive
SANS London April 2019	London, United Kingdom	Apr 08, 2019 - Apr 13, 2019	Live Event